

2012

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

19

Charlotte County
Town of Charlotte C.H.
Town of Drakes Branch
Town of Keysville
Town of Phenix

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector






























P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
	From:	Mecklenburg County Line															
 Barnesville Hwy	Charlotte County	7.39	1500	F	90%	1%	1%	1%	7%	0%	F	0.094	F	0.529	1500	F	
	To:	SR 92 Barnes Junction															
 Barnesville Hwy	Charlotte County	3.24	2200	F	90%	1%	1%	1%	7%	0%	F	0.103	F	0.507	2200	F	
	From:	US 360 Near Wyltiesburg															
  Kings Hwy	Charlotte County	3.88	5200	F	80%	1%	1%	1%	16%	1%	F	0.079	F	0.502	5300	F	
	To:	SR 47 Krafon Gate															
  Kings Hwy	Charlotte County	6.60	5100	F	80%	1%	1%	1%	16%	1%	F	0.081	F	0.523	5200	F	
	From:	BUS US 15 South of Keysville															
  Kings Hwy	Charlotte County	3.36	4500	F	80%	1%	1%	1%	16%	1%	C	0.083	F	0.507	4600	F	
	To:	SR 40 Keysville															
  Kings Hwy	Charlotte County	2.10	5500	F	84%	1%	1%	1%	13%	0%	C	0.082	F	0.524	5600	F	
	From:	US 360, BUS US 15 North of Keysville															
 Farmville Hwy	Charlotte County	1.73	3800	F	94%	1%	1%	1%	4%	0%	F	0.09	F	0.577	3900	F	
	To:	Prince Edward County Line															
	From:	US 15 S of Keysville															
  Olds Kings Hwy	Charlotte County	2.93	1300	F	93%	0%	1%	1%	4%	0%	C	0.100	F	0.504	1300	F	
	To:	CL Keysville															
 	Town of Keysville (Maint: 19)	0.73	1300	N	93%	0%	1%	1%	4%	0%	N	0.100	N	0.504	1300	N	
	From:	S SR 40															
   McDonald Rd	Town of Keysville (Maint: 19)	0.56	4700	F	93%	0%	1%	1%	4%	0%	F	0.110	F	0.539	4800	F	
	To:	N SR 40															
  Four Locust Hwy	Town of Keysville (Maint: 19)	0.37	4000	F	93%	0%	1%	1%	4%	0%	F	0.085	F	0.591	4100	F	
	To:	CL Keysville															
 	Charlotte County	1.34	4000	N	93%	0%	1%	1%	4%	0%	N	0.085	N	0.591	4100	N	
	To:	US 15 N of Keysville															
	From:	Campbell County Line															
 Patrick Henry Hwy	Charlotte County	6.74	1100	F	82%	1%	2%	1%	14%	0%	C	0.089	F	0.571	1100	F	
	To:	WCL Phenix															
 Phenix Main St	Town of Phenix (Maint: 19)	0.97	1100	N	82%	1%	2%	1%	14%	0%	N	0.089	N	0.571	1100	N	
	From:	19-727 Washington Ave; Red House Rd															
 Patrick Henry Hwy	Town of Phenix (Maint: 19)	0.62	1900	F	82%	1%	2%	1%	14%	0%	F	0.108	F	0.615	1900	F	
	To:	ECL Phenix															
 Patrick Henry Hwy	Charlotte County	0.78	1900	N	82%	1%	2%	1%	14%	0%	N	0.108	N	0.615	1900	N	
	To:	19-746 East of Phenix															
 Patrick Henry Hwy	Charlotte County	4.38	2000	F	82%	1%	2%	1%	14%	0%	F	0.105	F	0.701	2000	F	
	To:	WCL Charlotte C.H.															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: WCL Charlotte C.H.															
40 David Bruce Ave	Town of Charlotte C.H. (Maint: 19)	0.98	2000	N	82%	1%	2%	1%	14%	0%	N	0.105	N	0.701	2000	N
	To: SR 47 Le Grande Ave															
40 47 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.10	4600	F	82%	1%	2%	1%	14%	0%	F	0.104	F	0.518	4700	F
	To: SR 47 Thomas Jefferson Hwy															
40 George Washington Hwy	Town of Charlotte C.H. (Maint: 19)	0.94	2100	F	82%	1%	2%	1%	14%	0%	F	0.107	F	0.551	2200	F
	To: ECL Charlotte C.H.															
40 George Washington Hwy	Charlotte County	7.58	2100	N	82%	1%	2%	1%	14%	0%	N	0.107	N	0.551	2200	N
	To: WCL Keysville															
40 Church St	Town of Keysville (Maint: 19)	0.54	2100	N	82%	1%	2%	1%	14%	0%	N	0.107	N	0.551	2200	N
	To: Bus US 15, Bus US 360															
40 Bus 15 Bus 360 McDonald Rd	Town of Keysville (Maint: 19)	0.56	4700	F	93%	0%	1%	1%	4%	0%	F	0.110	F	0.539	4800	F
	To: E US 15 BUS															
40 Lunenburg Hwy	Town of Keysville (Maint: 19)	0.40	3100	F	90%	2%	1%	2%	5%	0%	F	0.099	F	0.628	3200	F
	To: ECL Keysville															
40 Lunenburg Hwy	Charlotte County	0.85	3100	N	90%	2%	1%	2%	5%	0%	N	0.099	N	0.628	3200	N
	To: Lunenburg County Line															
	From: Mecklenburg County Line															
47 Craftons Gate Hwy	Charlotte County	2.70	1500	F	85%	1%	1%	2%	10%	0%	F	0.096	F	0.619	1500	F
	To: US 15 Kings Hwy															
	From: US 15-360 Kings Hwy															
47 Graftons Gate Hwy	Charlotte County	6.55	1500	F	85%	1%	1%	2%	10%	0%	F	0.096	F	0.512	1600	F
	To: SCL Drakes Branch															
47	Town of Drakes Branch (Maint: 19)	2.09	1500	N	85%	1%	1%	2%	10%	0%	N	0.096	N	0.512	1600	N
	To: SR 59															
47	Town of Drakes Branch (Maint: 19)	0.25	2000	F	85%	1%	1%	2%	10%	0%	F	0.101	F	0.699	2100	F
	To: NCL Drakes Branch															
47	Charlotte County	3.03	2000	N	85%	1%	1%	2%	10%	0%	N	0.101	N	0.699	2100	N
	To: SCL Charlotte C.H.															
47	Town of Charlotte C.H. (Maint: 19)	0.99	2000	N	85%	1%	1%	2%	10%	0%	N	0.101	N	0.699	2100	N
	To: SR 40 S Thomas Jefferson Hwy; David Bruce Ave															
	From: S SR 40															
47 40 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.10	4600	F	82%	1%	2%	1%	14%	0%	F	0.104	F	0.518	4700	F
	To: N SR 40															
	From: N SR 40 G. W. Hwy															
47 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.98	1600	F	85%	1%	1%	2%	10%	0%	F	0.091	F	0.655	1700	F
	To: NCL Charlotte C.H.															
47	Charlotte County	3.47	1600	N	85%	1%	1%	2%	10%	0%	N	0.091	N	0.655	1700	N
	To: 19-660															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From:		19-660													
(47) Thomas Jefferson Hwy	Charlotte County	7.02	1300	F	85%	1%	1%	2%	10%	0%	C	0.099	F	0.573	1300	F
	To:		19-649 Madisonville													
(47) Thomas Jefferson Hwy	Charlotte County	2.82	1700	F	85%	1%	1%	2%	10%	0%	F	0.096	F	0.666	1700	F
	From:		Prince Edward County Line													
	To:		Charlotte County Line													
(47) Thomas Jefferson Hwy	Charlotte County	1.59	1900	F	85%	1%	1%	2%	10%	0%	F	0.097	F	0.617	1900	F
	From:		Appomattox County Line													
	To:		SR 47 North of Drakes Branch													
(59)	Town of Drakes Branch (Maint: 19)	0.55	1400	F	93%	1%	1%	3%	3%	0%	C	0.098	F	0.530	1400	F
	From:		NCL Drakes Branch													
(59)	Charlotte County	6.77	1400	N	93%	1%	1%	3%	3%	0%	N	0.098	N	0.530	1400	N
	From:		WCL Keysville													
(59)	Town of Keysville (Maint: 19)	0.58	1400	N	93%	1%	1%	3%	3%	0%	N	0.098	N	0.530	1400	N
	From:		SR 40 Keysville													
	To:		Mecklenburg County Line													
(92) JEB Stuart Hwy	Charlotte County	2.11	2200	F	95%	0%	1%	1%	3%	0%	F	0.096	F	0.554	2200	F
	From:		US 15 Barnes Junction													
(92) JEB Stuart Hwy	Charlotte County	3.80	1900	F	95%	0%	1%	1%	3%	0%	F	0.096	F	0.537	2000	F
	From:		US 360 Kings Hwy													
(92) JEB Stuart Hwy	Charlotte County	0.70	420	G	95%	0%	1%	1%	3%	0%	F	NA		430	G	
	From:		Halifax County Line													
	To:		Halifax County Line													
(360) Kings Hwy	Charlotte County	1.73	5800	F	86%	1%	1%	1%	11%	0%	F	0.081	F	0.516	5600	F
	From:		SR 92 JEB Stuart Hwy													
(360) Kings Hwy	Charlotte County	4.64	4300	F	86%	1%	1%	1%	11%	0%	F	0.086	F	0.516	4200	F
	From:		W US 15													
(360) (15) Kings Hwy	Charlotte County	3.88	5200	F	80%	1%	1%	1%	16%	1%	F	0.079	F	0.502	5300	F
	From:		SR 47 Krafton Gate													
(360) (15) Kings Hwy	Charlotte County	6.60	5100	F	80%	1%	1%	1%	16%	1%	F	0.081	F	0.523	5200	F
	From:		S US 15 BUS													
(360) (15) Kings Hwy	Charlotte County	3.36	4500	F	80%	1%	1%	1%	16%	1%	C	0.083	F	0.507	4600	F
	From:		SR 40 Keysville													
(360) (15) Kings Hwy	Charlotte County	2.10	5500	F	84%	1%	1%	1%	13%	0%	C	0.082	F	0.524	5600	F
	From:		E US 15													
(360) Kings Hwy	Charlotte County	1.69	5800	F	86%	1%	1%	1%	11%	0%	F	0.076	F	0.531	5700	F
	From:		Prince Edward County Line													
	To:		US 15 S OF KEYSVILLE													
Bus (360) Bus (15) Olds Kings Hwy	Charlotte County	2.93	1300	F	93%	0%	1%	1%	4%	0%	C	0.100	F	0.504	1300	F
	From:		CL Keysville													
	To:															

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 360 Bus 15	From: CL Keysville Town of Keysville (Maint: 19)	0.73	1300	N	93%	0%	1%	1%	4%	0%	N	0.100	N	0.504	1300	N
Bus 360 Bus 15 40	To: S SR 40 From: McDonald Rd Town of Keysville (Maint: 19)	0.56	4700	F	93%	0%	1%	1%	4%	0%	F	0.110	F	0.539	4800	F
Bus 360 Bus 15	To: N SR 40 From: Four Locust Hwy Town of Keysville (Maint: 19)	0.37	4000	F	93%	0%	1%	1%	4%	0%	F	0.085	F	0.591	4100	F
Bus 360 Bus 15	To: CL Keysville From: Charlotte County	1.34	4000	N	93%	0%	1%	1%	4%	0%	N	0.085	N	0.591	4100	N
	To: US 15 N OF KEYSVILLE															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(F627)	0.04	10	R									NA		NA		06/12/2012
(F628) Pur Year Rd	0.79	20	R									NA		NA		06/12/2012
(F629) Walkers Pond Lane	0.13	10	R									NA		NA		06/12/2012
(600) Pine Tree Rd	0.60	100	R									NA		NA		06/21/2012
(601) Keysville Rd	0.70	50	R									NA		NA		04/07/2009
(601) Gholson Rd	0.20	320	R									NA		NA		04/07/2009
(601) Gholson Rd	0.70	250	R									NA		NA		04/07/2009
(602) Barnes Rd	0.10	180	R									NA		NA		06/21/2012
(602) Barnes Rd	0.99	120	R									NA		NA		06/21/2012
(602) Barnes Rd	0.91	130	R									NA		NA		06/21/2012
(603) Lindward Rd	0.50	120	R									NA		NA		04/07/2009
(603) Lindward Rd	1.50	90	R									NA		NA		06/19/2012
(603) Lindward Rd	0.60	80	R									NA		NA		06/19/2012
(604) Roanoke Ridge Rd	2.83	770	F	96%	0%	1%	1%	2%	0%	C	0.12	F	0.516	790	F	2012
(604) Abilene Rd	1.50	720	R									NA		NA		04/21/2009
(604) Abilene Rd	3.40	730	R									NA		NA		04/21/2009
(605) Whitlow Rd	1.59	100	R									NA		NA		06/26/2012
(605) Whitlow Rd	0.10	290	R									NA		NA		06/26/2012
(605) Rutledge Rd	1.06	150	R									NA		NA		06/21/2012
(605) Rutledge Rd	0.50	110	R									NA		NA		06/21/2012
(605) Rutledge Rd	0.27	100	R									NA		NA		06/21/2012
(606) Hamilton Rd	2.00	180	R									NA		NA		06/14/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(606) Bacon School Rd	3.50	230	R								NA		NA			06/14/2012
(606) Bacon School Rd	0.54	470	R								NA		NA			06/19/2012
(606) Bacon School Rd	0.88	400	R								NA		NA			06/19/2012
(607) River Rd	3.06	100	R								NA		NA			04/07/2009
(607) Roanoke Station Rd	2.95	100	R								NA		NA			04/07/2009
(607) Roanoke Station Rd	2.10	280	F	94%	1%	2%	1%	2%	0%	C	0.106	F	0.546	290	F	2012
(607) Roanoke Station Rd	1.50	140	R								NA		NA			04/07/2009
(607) Roanoke Station Rd	0.60	90	F	94%	1%	2%	1%	2%	0%	F	0.145	F	0.567	100	F	2012
(607) Jackson Vaughan Rd	0.85	210	R								NA		NA			04/07/2009
(607) Moody Creek Rd	0.70	260	R								NA		NA			04/07/2009
(607) Moody Creek Rd	1.70	90	R								NA		NA			04/07/2009
(607) West Spring Hill Rd	1.50	100	R								NA		NA			04/07/2009
(608) Rocky Branch Rd	1.46	210	F	88%	3%	0%	1%	8%	0%	F	0.115	F	0.617	220	F	2012
(608) Public Fork Rd	0.86	230	F	88%	3%	0%	1%	8%	0%	C	0.125	F	0.5	240	F	2012
(608) Tobacco Hill Rd	2.12	530	F	88%	3%	0%	1%	8%	0%	F	0.118	F	0.710	540	F	2012
(608) Tobacco Hill Rd	1.95	440	R								NA		NA			04/07/2009
(608) Salem School Rd	0.88	360	R								NA		NA			06/21/2012
(608) Atkins Rd	0.25	80	R								NA		NA			06/21/2012
(609) Robertson Rd	1.70	100	R								NA		NA			06/19/2012
(609) Robertson Rd	1.29	130	R								NA		NA			06/19/2012
(609) Robertson Rd	0.31	250	R								NA		NA			06/19/2012
(610) Carrington Rd	1.89	170	R								NA		NA			06/21/2012
(611) Hebron Church Rd	1.10	460	F	95%	1%	1%	0%	2%	0%	C	0.127	F	0.678	470	F	2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(611) Hebron Church Rd	1.80	250	R								NA		NA			04/07/2009
						From: 19-634 Westview Farm Rd										
						To: 19-625 Mill Pond Rd										
(611) Hebron Church Rd	1.20	160	R								NA		NA			04/07/2009
						From: 19-607 Roanoke Station Rd										
						To: 19-608 Rocky Branch Rd										
(611) Coleman Ferry Rd	3.35	110	R								NA		NA			04/07/2009
						From: 19-746 Scuffletown Rd										
(612) Herman Rd	2.20	420	F	95%	1%	1%	1%	2%	0%	F	0.104	F	0.535	430	F	2012
						To: 19-641 Mulberry Hill Rd										
(612) Herman Rd	0.69	530	F	95%	1%	1%	1%	2%	0%	C	0.112	F	0.556	550	F	2012
						From: 19-637 N, Saxkey Rd										
						To: 19-637 E, Saxkey Rd; Sylvan Hill Rd										
(612) Herman Rd	1.10	210	R								NA		NA			04/15/2009
						From: 19-613 Country Rd										
(612) Herman Rd	1.30	220	R								NA		NA			04/15/2009
						To: 19-634 Westview Farm Rd										
(612) Sunnyside Rd	3.20	170	R								NA		NA			04/15/2009
						From: SR 47 Graftons Gate Hwy										
(613) Country Rd	2.20	190	R								NA		NA			06/05/2012
						From: 19-612 Herman Rd										
(613) Country Rd	2.70	250	R								NA		NA			06/05/2012
						To: SR 47 N, Graftons Gate Hwy										
						From: SR 47 S, Graftons Gate Hwy										
(613) Alegra Rd	4.50	110	R								NA		NA			06/19/2012
						To: 19-623 West Point Stephens Rd										
(614) Friend-Leigh Rd	0.50	50	R								NA		NA			06/05/2012
						From: SR 59										
						To: Dead End										
(615) Lawyers Rd	1.19	1100	F	97%	0%	1%	0%	1%	0%	F	0.114	F	0.521	1100	F	2012
						From: 19-727 Red House Rd										
(615) Rolling Hill Rd	0.39	740	F	97%	0%	1%	0%	1%	0%	C	0.099	F	0.589	750	F	2012
						To: 19-672 Mt Zion Rd										
(615) Rolling Hill Rd	0.31	730	F	97%	0%	1%	0%	1%	0%	F	0.1	F	0.506	750	F	2012
						From: 19-663 Bear Creek Rd										
(615) Rolling Hill Rd	1.25	610	F	97%	0%	1%	0%	1%	0%	F	0.097	F	0.530	620	F	2012
						To: 19-701 Thortons Mill Rd										
(615) Rolling Hill Rd	2.99	440	R								NA		NA			04/06/2009
						From: 19-664 Butterwood Rd										
(615) Rolling Hill Rd	2.13	410	R								NA		NA			04/06/2009
						To: SR 47 Thomas Jefferson Hwy										
(616) Smiths Mill Rd	1.68	100	R								NA		NA			05/10/2012
						From: Campbell County Line										
						To: 19-672 S, Midway Rd										
(616) Whites Chapel Rd	1.00	110	R								NA		NA			05/10/2012
						From: 19-672 N, Midway Rd										
(616) Whites Chapel Rd	2.97	70	R								NA		NA			05/10/2012
						From: 1.00 ME 19-672										
						To: 19-727 Red House Rd										
(617) Old Well Rd	1.30	190	R								NA		NA			04/06/2009
						From: 19-672 Midway Rd										
						To: 19-762 Turkey Creek Rd										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(617) Old Well Rd	1.70	200	R								NA			NA		04/06/2009
(617) Old Well Rd	1.60	170	F	91%	2%	1%	2%	4%	0%	C	0.133	F	0.64	180	F	2012
(617) Bethel Rd	0.60	180	R								NA			NA		05/23/2012
(617) Bethel Rd	2.50	200	R								NA			NA		04/21/2009
(618) Turnip Creek Rd	0.90	200	R								NA			NA		05/15/2012
(619) Staunton Hill Rd	3.50	120	R								NA			NA		04/27/2009
(619) Staunton Hill Rd	3.00	170	R								NA			NA		04/27/2009
(619) Ridgeway Rd	0.50	230	R								NA			NA		04/28/2009
(619) Aspen Wall Rd	2.58	200	R								NA			NA		04/27/2009
(619) Cub Creek Church Rd	2.29	140	R								NA			NA		04/27/2009
(619) Harrisburg Rd	0.10	90	R								NA			NA		04/27/2009
(619) Harrisburg Rd	1.30	70	R								NA			NA		04/27/2009
(619) Harrisburg Rd	1.50	100	R								NA			NA		05/31/2012
(619) Chandler Fork Rd	2.55	60	R								NA			NA		05/31/2012
(619) Double Bridges Rd	3.00	70	R								NA			NA		05/31/2012
Town of Drakes Branch																
(619) Proctor St	0.41	310	F	99%	1%	0%	0%	0%	0%	F	0.120	F	0.612	320	F	2012
(619) Proctor St	0.56	400	F	99%	1%	0%	0%	0%	0%	C	0.106	F	0.619	410	F	2012
Charlotte County																
(620) Clarkton Bridge Rd	2.80	20	R								NA			NA		05/23/2012
(621) Floralee Rd	1.68	40	R								NA			NA		05/15/2012
(622) Old Kings Rd	1.10	70	R								NA			NA		04/27/2009
(622) Old Kings Rd	1.02	320	R								NA			NA		04/27/2009
(622) West Ontario Rd	1.10	380	F	98%	0%	0%	0%	2%	0%	C	0.12	F	0.646	390	F	2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Drakes Branch																
(623) West Point Stevens Rd	1.07	450	F	98%	1%	0%	0%	1%	0%	C	0.123	F	0.607	460	F	2012
Charlotte County																
(623) West Point Stevens Rd	1.67	360	F	98%	1%	0%	0%	1%	0%	F	0.106	F	0.634	370	F	2012
(623) West Point Stephens Rd	3.00	310	R								NA			NA		04/22/2009
(623) West Point Stephens Rd	1.00	290	R								NA			NA		04/27/2009
(623) West Point Stephens Rd	0.70	450	R								NA			NA		04/27/2009
(623) Friendship Church Rd	1.40	250	R								NA			NA		04/27/2009
(624) Morgan Rd	1.00	230	R								NA			NA		04/07/2009
(625) Mill Pond Rd	2.30	70	R								NA			NA		04/07/2009
(626) Hatchet Rd	0.70	100	R								NA			NA		04/15/2009
(626) Hatchet Rd	0.50	120	R								NA			NA		04/15/2009
(626) Hatchet Rd	0.70	90	R								NA			NA		06/19/2012
(627) Shelton Hall Rd	1.30	160	R								NA			NA		04/07/2009
(627) Tate Mill Rd	1.90	100	R								NA			NA		04/07/2009
(628) Puryear Rd	0.50	550	R								NA			NA		04/27/2009
(629) Juniper Creek Rd	1.30	250	R								NA			NA		04/21/2009
(629) Southern Dr	0.46	240	R								NA			NA		04/21/2009
Town of Keysville																
(629) Southern Dr	0.24	220	R								NA			NA		06/12/2012
Charlotte County																
(630) Fort Mitchell Rd	1.78	280	R								NA			NA		04/27/2009
(631) Rocky Rd	1.00	80	R								NA			NA		06/21/2012
(631) Garden Rd	1.00	200	R								NA			NA		06/26/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(631) Kings Cross Rd	1.80	160	R									NA		NA		06/26/2012
(631) Kings Cross Rd	0.30	100	R									NA		NA		06/26/2012
(632) Jones Store Rd	1.60	110	R									NA		NA		06/26/2012
(632) Cargrills Rd	4.45	100	R									NA		NA		06/21/2012
(633) Horse Horn Rd	1.70	100	R									NA		NA		06/26/2012
(633) Horse Horn Rd	1.20	200	R									NA		NA		06/26/2012
(634) Westview Farm Rd	0.30	330	R									NA		NA		06/14/2012
(634) Westview Farm Rd	2.80	220	R									NA		NA		06/14/2012
(634) Westview Farm Rd	1.40	200	R									NA		NA		06/14/2012
(635) Williams Rd	0.60	40	R									NA		NA		06/19/2012
(636) Garnette Rd	0.70	90	R									NA		NA		05/31/2012
(636) Roxabel Rd	1.10	60	R									NA		NA		05/31/2012
(637) Sylvan Hill Rd	2.99	260	F	95%	1%	1%	0%	3%	0%	F	0.124	F	0.508	270	F	2012
(637) Saxkey Rd	3.56	370	F	95%	1%	1%	0%	3%	0%	F	0.094	F	0.747	380	F	2012
(637) Saxkey Rd	2.67	580	F	95%	1%	1%	0%	3%	0%	C	0.099	F	0.557	590	F	2012
Town of Drakes Branch																
(637) Saxkey Rd	0.13	580	N	95%	1%	1%	0%	3%	0%	N	0.099	N	0.557	590	N	2012
(637) Saxkey Rd	0.36	780	R									NA		NA		04/21/2009
(637) Saxkey Rd	0.38	990	R									NA		NA		04/21/2009
Charlotte County																
(638) Wheelers Spring Rd	0.10	70	R									NA		NA		05/10/2012
(638) Wheelers Spring Rd	1.70	40	R									NA		NA		05/10/2012
(638) Wheelers Spring Rd	2.40	80	R									NA		NA		04/06/2009

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(639) Towler Rd	1.90	210	R											NA		06/19/2012
(640) Laconia Rd	1.15	60	R											NA		06/21/2012
(640) Laconia Rd	0.15	60	R											NA		06/21/2012
(640) Laconia Rd	0.71	100	R											NA		04/07/2009
(640) Wheatland Rd	0.20	110	R											NA		04/07/2009
(641) Mulberry Hill Rd	3.72	60	R											NA		04/15/2009
(642) Mossingford Rd	0.28	480	R											NA		05/31/2012
(642) Mossingford Rd	2.60	200	R											NA		06/14/2012
(642) Mossingford Rd	1.11	310	R											NA		06/14/2012
(642) Mossingford Rd	2.00	210	R											NA		06/14/2012
(643) Brick House Rd	1.70	140	R											NA		06/14/2012
(643) Brick House Rd	0.57	110	R											NA		06/14/2012
(644) Hancock Rd	0.80	310	R											NA		04/06/2009
(644) Hancock Rd	0.50	260	R											NA		04/06/2009
(645) Carwile Springs Rd	1.10	290	R											NA		05/31/2012
(645) Carwile Springs Rd	0.63	270	R											NA		05/31/2012
(645) Carwile Springs Rd	1.35	270	R											NA		05/31/2012
(645) Evergreen Rd	1.57	380	R											NA		05/31/2012
(645) Evergreen Rd	0.30	480	R											NA		05/31/2012
Town of Charlotte C.H.																
(645) Evergreen Rd	0.25	510	R											NA		10/17/2000
(645) Evergreen Rd	0.48	610	R											NA		05/31/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(646) Slaughter House Rd	0.75	50	R								NA			NA		06/14/2012
(647) Adams Rd	2.10	70	R								NA			NA		05/31/2012
(648) Hannah Rd	3.29	40	R								NA			NA		05/23/2012
(648) Hannah Rd	2.29	20	R								NA			NA		05/23/2012
(649) Coles Ferry Loop Rd	2.00	50	R								NA			NA		04/27/2009
(649) Coles Ferry Loop Rd	1.80	10	R								NA			NA		05/23/2012
(649) Coles Ferry Rd	0.50	100	R								NA			NA		04/27/2009
(649) Coles Ferry Rd	0.62	50	R								NA			NA		05/23/2012
(649) Coles Ferry Rd	0.30	60	R								NA			NA		05/23/2012
(649) Coles Ferry Rd	2.16	40	R								NA			NA		05/23/2012
(649) Coles Ferry Rd	1.01	110	R								NA			NA		05/23/2012
(649) Fears Town Rd	2.50	220	R								NA			NA		04/21/2009
(649) Fearstown Rd	2.50	370	F	90%	1%	1%	1%	7%	0%	C	0.106	F	0.6	370	F	2012
(649) Germantown Rd	3.00	440	R								NA			NA		04/08/2009
(649) Germantown Rd	1.57	330	R								NA			NA		04/08/2009
(649) Crawley Rd	0.70	80	R								NA			NA		04/08/2009
(649) Crawley Rd	3.84	180	R								NA			NA		04/08/2009
(650) Hill Cross Rd	2.36	140	R								NA			NA		05/17/2012
(650) Woodfork Rd	1.15	180	R								NA			NA		05/17/2012
(650) Woodfork Rd	3.58	160	R								NA			NA		05/17/2012
Town of Charlotte C.H.																
(650) Woodfork Rd	1.12	190	R								NA			NA		05/17/2012
Charlotte County																
(651) Morton Rd	1.49	170	R								NA			NA		04/21/2009

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(651) McGee Rd	1.70	60	R								NA			NA		05/17/2012
			From: 19-654 S, Mt Harmony Rd													
			To: 19-653 Maple Rd													
(651) Mt Harmony Rd	0.80	80	R								NA			NA		04/21/2009
			From: 0.80 ME 19-653													
(651) Whitehead Rd	1.40	130	R								NA			NA		04/21/2009
			From: 19-652 S, Briery Rd													
			To: 19-652 N, Briery Rd													
(651) Country Club Rd	0.56	130	F	98%	1%	0%	0%	1%	0%	C	0.174	F	0.625	140	F	2012
			From: US 15 Farmville Hwy													
(652) Eureka Mill Rd	1.64	50	R								NA			NA		06/07/2012
			From: 1.64 ME 19-654													
(652) Eureka Mill Rd	0.66	150	R								NA			NA		06/07/2012
			From: 19-653 Maple Rd													
(652) Briery Rd	2.20	230	R								NA			NA		04/21/2009
			From: 19-651 S, Whitehead Rd													
(652) Briery Rd	0.60	300	R								NA			NA		04/21/2009
			From: Prince Edward County Line													
(653) Richardson Rd	1.60	230	R								NA			NA		06/07/2012
			From: SR 40 George Washington Hwy													
			To: 19-652 Briery Rd; Eureka Mill Rd													
(653) Maple Rd	1.20	60	R								NA			NA		06/07/2012
			From: 19-652 N, Briery Rd													
			To: 19-651 Country Club Rd													
(654) Eureka School Rd	2.23	260	R								NA			NA		04/27/2009
			From: SR 59													
			To: SR 40 E, George Washington Hwy													
(654) Mt Harmony Rd	3.70	230	R								NA			NA		04/21/2009
			From: SR 40 W, George Washington Hwy													
(654) Crab Orchard Rd	0.75	190	R								NA			NA		04/21/2009
			From: 19-651 N, Morton Rd													
(654) Crab Orchard Rd	1.45	310	R								NA			NA		04/21/2009
			From: 19-749 Hills Creek Rd													
			To: Prince Edward County Line													
(655) Bethlehem Rd	1.91	130	R								NA			NA		05/17/2012
			From: 19-604 Abilene Rd; Roanoke Ridge Rd													
(655) Bethlehem Rd	1.70	220	R								NA			NA		05/17/2012
			From: 19-658 Welsh Tract Rd													
			To: 19-671 County Line Rd													
(656) Greenfield Rd	2.50	60	R								NA			NA		06/07/2012
			From: SR 40 George Washington Hwy													
			To: 19-604 Roanoke Ridge Rd													
(657) Bradner Rd	0.80	90	R								NA			NA		06/12/2012
			From: 19-649 Germantown Rd													
			To: Dead End													
(658) Welsh Tract Rd	4.41	230	R								NA			NA		05/17/2012
			From: 19-709 Union Cemetery Rd													
			To: 19-655 Bethlehem Rd													
(659) McCoys Shop Rd	0.60	150	R								NA			NA		05/17/2012
			From: 19-660 Taro Rd													
			To: 19-671 County Line Rd													
(660) Virginia Rd	1.55	140	R								NA			NA		04/27/2009
			From: 19-650 Hill Cross Rd													
			To: SR 47 S, Thomas Jefferson Hwy													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(660) Taro Rd	3.10	290	R								NA			NA		04/08/2009
From: SR 47 N, Thomas Jefferson Hwy																
To: 19-659 McCoys Shop Rd																
(660) Taro Rd	0.80	160	R								NA			NA		04/08/2009
From: 19-671 County Line Rd																
To: SR 47 Thomas Jefferson Hwy																
(661) Wards Fork Mill Rd	5.12	140	R								NA			NA		05/17/2012
From: Prince Edward County Line																
To: SR 47 Thomas Jefferson Hwy																
(662) Tower Loop Rd	0.50	90	R								NA			NA		05/10/2012
From: 19-691 Tower Rd																
To: 19-615 Rolling Hill Rd																
(663) Bear Creek Rd	3.80	110	R								NA			NA		04/06/2009
From: Appomattox County Line																
To: 19-666 Vincent Store Rd																
(664) Butterwood Rd	1.70	150	R								NA			NA		04/06/2009
From: 19-665 Harvey Rd																
(664) Butterwood Rd	1.23	90	R								NA			NA		05/10/2012
From: 19-615 Rolling Hill Rd																
To: 19-727 Red House Rd																
(665) Harvey Rd	3.47	260	R								NA			NA		05/10/2012
From: SR 47 Thomas Jefferson Hwy																
To: 19-727 Red House Rd																
(666) Vincent Store Rd	1.36	330	R								NA			NA		04/06/2009
From: 19-721 Pugh Rd																
(666) Vincent Store Rd	2.75	420	R								NA			NA		04/06/2009
From: SR 47 Thomas Jefferson Hwy																
To: 19-727 Red House Rd																
(667) Hillcroft Rd	3.17	120	R								NA			NA		04/06/2009
From: SR 40 Patrick Henry Hwy																
To: SR 40 Patrick Henry Hwy																
Town of Phenix																
(668) Stockdale Rd	0.09	50	R								NA			NA		04/06/2009
From: 0.09 ME SR 40																
(668) Stockdale Rd	0.26	30	R								NA			NA		05/29/2012
From: ECL Phenix																
To: ECL Phenix																
Charlotte County																
(668) Stockdale Rd	1.95	20	R								NA			NA		05/29/2012
From: 19-667 Hillcroft Rd																
To: Dead End																
(669) Sandy Creek Rd	0.50	50	R								NA			NA		05/29/2012
From: 19-706 Alberts Rd																
(669) Sandy Creek Rd	0.28	90	R								NA			NA		05/29/2012
From: SR 40; 19-746																
To: 19-617 Old Well Rd																
(670) Poindexter Rd	0.80	30	R								NA			NA		05/15/2012
From: Dead End																
To: Dead End																
(671) County Line Rd	1.88	190	F	93%	1%	1%	2%	3%	0%	C	0.112	F	0.524	190	F	2012
From: 73-665; 73-671																
To: 19-660 Turo Rd																
(671) County Line Rd	1.10	40	F	93%	1%	1%	2%	3%	0%	F	0.243	F	0.824	40	F	2012
From: 19-659 McCoys Shop Rd																
To: 73-667; 73-671																

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(672) Mt Carmel Rd	2.10	300	R			From: 19-678 Aspen Rd; Francisco Rd					NA			NA		05/23/2012
(672) Mt Caramel Rd	1.60	430	F	97%	1%	1%	0%	1%	0%	C	0.118	F	0.745	440	F	2012
(672) Midway Rd	1.30	350	F	97%	1%	1%	0%	1%	0%	F	0.14	F	0.83	360	F	2012
(672) Midway Rd	7.30	250	F	97%	1%	1%	0%	1%	0%	F	0.138	F	0.62	260	F	2012
(672) Mt Zion Rd	1.20	230	R			From: 19-727 Red House Rd					NA			NA		05/10/2012
(673) Cedar Grove Rd	0.50	50	R			From: Dead End					NA			NA		05/15/2012
(674) Jordans Gate School Rd	1.30	90	R			From: 19-672 Midway Rd					NA			NA		05/15/2012
(675) Tola Rd	0.87	250	R			From: 19-617 Bethel Rd					NA			NA		05/29/2012
(675) Tola Rd	0.80	270	R			From: 19-676 Poor House Rd					NA			NA		05/29/2012
Town of Phenix																
(675) Tola Rd	0.60	410	R			From: SCL Phenix					NA			NA		07/17/2000
Charlotte County																
(676) Poor House Rd	1.10	90	R			From: 19-675 Tola Rd					NA			NA		05/23/2012
(677) Red Hill Rd	1.10	180	R			From: Dead End					NA			NA		05/23/2012
(678) Ridgeway Rd	0.45	90	R			From: Dead End					NA			NA		04/27/2009
(678) Ridgeway Rd	1.20	160	R			From: 19-649 S, Coles Ferry Rd					NA			NA		04/27/2009
(678) Ridgeway Rd	0.80	340	R			From: 19-649 N, Coles Ferry Rd					NA			NA		04/27/2009
(678) Francisco Rd	0.60	320	F	96%	2%	1%	0%	1%	0%	C	0.116	F	0.676	330	F	2012
(678) Aspen Rd	3.10	100	F	96%	2%	1%	0%	1%	0%	F	0.119	F	0.769	100	F	2012
(679) Bailey Farm Rd	2.80	80	R			From: 19-724 Col Smith Rd					NA			NA		04/15/2009
(680) Crymes Orchard Rd	1.41	230	R			From: 19-619 Aspen Wall Rd; Ridgeway Rd					NA			NA		04/21/2009
(681) Moon Rd	1.30	170	R			From: 19-619 Aspen Wall Rd					NA			NA		05/15/2012
						From: 19-634 Westview Farm Rd					NA			NA		
						From: Bus US 15					NA			NA		
						From: 19-652 Briery Rd					NA			NA		
						From: 19-672 Midway Rd					NA			NA		
						From: Dead End					NA			NA		

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(682) Womacks Loop Rd	0.10	290	R											NA		04/21/2009
(683) Otter Creek Rd	0.25	120	R											NA		04/07/2009
(684) Quarter Horse Rd	1.70	130	R											NA		06/19/2012
(685) S Berles Creek Rd	0.50	50	R											NA		06/26/2012
(685) N Berles Creek Rd	0.65	20	R											NA		06/26/2012
(686) Roseland Rd	0.40	200	R											NA		06/21/2012
(686) Roseland Rd	0.80	110	R											NA		06/21/2012
(687) Mt Mitchell Rd	1.00	150	R											NA		06/19/2012
(687) Mt Mitchell Rd	0.20	40	R											NA		06/19/2012
(688) Blue Stone Rd	0.52	100	R											NA		06/07/2012
(688) Blue Stone Rd	0.38	130	R											NA		04/21/2009
Town of Keysville																
(688) Blue Stone Rd	0.07	160	R											NA		04/21/2009
Charlotte County																
(689) Carwile Rd	0.60	20	R											NA		05/17/2012
(690) Little Retreat Rd	0.50	60	R											NA		06/21/2012
(690) Little Retreat Rd	0.03	110	R											NA		06/21/2012
(691) Tower Rd	1.20	50	R											NA		05/10/2012
(691) Tower Rd	3.00	100	R											NA		04/06/2009
Prince Edward County																
(691) Tower Rd	0.10	100	N											NA		04/06/2009
Charlotte County																
(692) Wpa Rd	0.70	250	R											NA		04/27/2009

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(693) Terrell Rd	2.80	90	R			From: 19-619 Staunton Hill Rd					NA			NA		04/27/2009
						To: 19-672 Mt Carmel Rd										
(694) Pillow Rd	0.10	160	R			From: 19-672 Midway Rd					NA			NA		04/06/2009
						To: 19-617 Old Well Rd										
(695) Rough Creek Rd	2.80	50	R			From: 19-617 Old Well Rd					NA			NA		05/15/2012
						To: 19-727 Red House Rd										
(696) Corner Rd	0.10	20	R			From: 19-665 Harvey Rd					NA			NA		05/15/2012
						To: 19-703 Mapleton Rd										
(696) Corner Rd	0.15	20	R			From: SR 47 Thomas Jefferson Hwy					NA			NA		05/15/2012
						To: SR 47 S, Thomas Jefferson Hwy										
(697) Dixon Rd	0.10	60	R			From: SR 47 S, Thomas Jefferson Hwy					NA			NA		04/27/2009
						To: 0.10 MN SR 47										
(697) Dixon Rd	0.41	30	R			From: SR 47 N, Thomas Jefferson Hwy					NA			NA		04/27/2009
						To: SR 47 N, Thomas Jefferson Hwy										
(698) Greenview Rd	0.90	100	R			From: Dead End					NA			NA		05/23/2012
						To: 19-746 Scuffletown Rd										
(699) Deer Rd	0.80	80	R			From: Dead End					NA			NA		04/06/2009
						To: SR 47 Thomas Jefferson Hwy										
(700) Hamlet Rd	1.40	150	R			From: Dead End					NA			NA		05/10/2012
						To: 19-727 Red House Rd										
(701) Thortons Mill Rd	1.55	150	R			From: 19-615 Rolling Hill Rd					NA			NA		05/10/2012
						To: 19-736 Hunters Rd										
(701) Thortons Mill Rd	1.35	100	R			From: 19-691 Tower Rd					NA			NA		05/10/2012
						To: 19-633 Horse Horn Rd										
(702) Arbor Rd	0.50	20	R			From: Dead End					NA			NA		06/26/2012
						To: Dead End										
(703) Mapleton Rd	0.70	10	R			From: Dead End					NA			NA		05/15/2012
						To: 19-696 Corner Rd										
(704) Nollie Rd	0.57	7	R			From: 19-727 S, Red House Rd					NA			NA		05/29/2012
						To: 19-727 N, Red House Rd										
(705) Mosley Ferry Rd	0.50	510	R			From: Dead End					NA			NA		06/26/2012
						To: SR 92 JEB Stuart Hwy										
(706) Alberts Rd	0.60	60	R			From: SR 40 Patrick Henry Hwy					NA			NA		05/29/2012
						To: 19-669 Sandy Creek Rd										
(707) Waddell Nelson Rd	0.72	60	R			From: 19-671 W, County Line Rd					NA			NA		05/17/2012
						To: 0.72 ME 19-671										
(707) Waddell Nelson Rd	1.48	140	R			From: 19-760 Station Rd					NA			NA		05/17/2012
						To: 19-760 Station Rd										
(707) Waddell Nelson Rd	0.17	150	R			From: 73-671 E, County Line Rd					NA			NA		04/27/2009
						To: 73-671 E, County Line Rd										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(708) Micajah Rd	0.60	60	R								NA		NA			05/15/2012
Town of Charlotte C.H.																
(709) Union Cemetery Rd	0.48	1300	F	97%	1%	1%	1%	2%	0%	C	0.107	F	0.579	1300	F	2012
Charlotte County																
(709) Union Cemetery Rd	0.95	1000	F	97%	1%	1%	1%	2%	0%	F	0.117	F	0.561	1000	F	2012
(709) Union Cemetery Rd	1.32	570	G	97%	1%	1%	1%	2%	0%	F	NA		600	G		2012
(710) Oak Hill Rd	1.35	50	R								NA		NA			04/27/2009
(710) Oak Hill Rd	2.80	100	R								NA		NA			04/27/2009
(711) Carden Rd	1.00	80	R								NA		NA			05/23/2012
Town of Keysville																
(712) Church St	1.02	710	R								NA		NA			04/21/2009
Charlotte County																
(712) Horseshoe Bend Rd	1.22	210	R								NA		NA			04/27/2009
(712) Horseshoe Bend Rd	0.65	110	R								NA		NA			04/27/2009
(712) Horseshoe Bend Rd	1.59	490	R								NA		NA			04/27/2009
(713) Deuprees Store Rd	0.35	90	R								NA		NA			04/15/2009
(713) Deuprees Store Rd	1.20	120	R								NA		NA			04/15/2009
Town of Keysville																
(714) Railroad Ave	0.10	450	R								NA		NA			04/21/2009
(714) Railroad Ave	0.02	320	R								NA		NA			04/21/2009
(715) J St	0.06	9	R								NA		NA			06/07/2012
(715) J St	0.07	470	R								NA		NA			06/07/2012
(716) Farrar St	0.35	500	R								NA		NA			06/12/2012
(716) Farrar St	0.20	420	R								NA		NA			06/12/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Charlotte County																	
(717) Wright Rd	0.45	100	R			From: Dead End					NA			NA		06/12/2012	
						To: Bus US 15											
Town of Keysville																	
(718) H St	0.08	990	R			From: Bus US 15					NA			NA		06/12/2012	
						To: 19-712 Horseshoe Bend Rd											
Charlotte County																	
(719) Sublett Place Rd	0.50	100	R			From: 19-674 Jordans Gate School Rd					NA			NA		05/15/2012	
						To: Dead End											
(720) Price Rd	0.65	50	R			From: Dead End					NA			NA		05/10/2012	
						To: 19-615 Rolling Hill Rd											
(721) Pugh Rd	0.80	60	R			From: 19-666 Vincent Store Rd					NA			NA		05/15/2012	
						To: Dead End											
Town of Keysville																	
(722) Spaulding Ave	0.07	330	R			From: Dead End					NA			NA		06/12/2012	
						To: 19-757 Osborne St											
(722) Spaulding Ave	0.05	1100	R			From: 19-757 Osborne St					NA			NA		06/12/2012	
						To: Bus US 15											
Charlotte County																	
(723) Cedar Tavern Rd	1.00	70	R			From: 19-678 Ridgeway Rd					NA			NA		05/23/2012	
						To: Dead End											
(724) Col Smith Rd	1.00	60	R			From: 19-678 Ridgeway Rd					NA			NA		05/23/2012	
						To: Dead End											
(725) Point Rd	0.13	48	R			From: 06-725; 19-638					NA			NA		05/10/2012	
						To: SR 47; Pr Edward CL											
(726) Lockett Rd	1.80	80	R			From: US 15 Barnesville Hwy					NA			NA		06/21/2012	
						To: 19-608 Salem School Rd											
Town of Phenix																	
(727) Washington Ave	0.28	1400	F	95%	0%	2%	0%	3%	0%	F	0.136	F	0.574	1400	F	2012	
						From: SR 40; 19-1008											
						To: NCL Phenix											
Charlotte County																	
(727) Red House Rd	4.02	1400	N	95%	0%	2%	0%	3%	0%	N	0.136	N	0.574	1400	N	2012	
						From: NCL Phenix											
						To: 19-783 Ulrich Plt Rd											
(727) Red House Rd	4.03	710	F	95%	0%	2%	0%	3%	0%	F	0.101	F	0.599	730	F	2012	
						From: 19-783 Ulrich Plt Rd											
						To: 19-672 S. Midway Rd											
(727) Red House Rd	1.37	1000	F	95%	0%	2%	0%	3%	0%	F	0.100	F	0.574	1000	F	2012	
						From: 19-672 S. Midway Rd											
						To: 19-615 Lawyers Rd, Rolling Hill Rd											
(727) Red House Rd	0.94	1300	F	95%	0%	2%	0%	3%	0%	C	0.103	F	0.547	1400	F	2012	
						From: 19-615 Lawyers Rd, Rolling Hill Rd											
						To: Appomattox County Line											
(728) Parsons Rd	0.45	80	R			From: 19-650 Hill Cross Rd					NA			NA		05/17/2012	
						To: Dead End											
(729) Maloneys Shop Rd	0.60	50	R			From: Dead End					NA			NA		05/10/2012	
						To: 19-672 Midway Rd											

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(730) Shiloh Church Rd	0.15	170	R			From: 19-713 Deuprees Store Rd					NA			NA		05/15/2009
(730) Shiloh Church Rd	0.04	70	R			To: US 15 Kings Hwy					NA			NA		06/19/2012
(730) Shiloh Church Rd	1.21	40	R			From: 19-763 Able Rd					NA			NA		06/19/2012
						To: Dead End										
Town of Keysville																
(731) Pettus St	0.07	110	F	80%	2%	From: 19-757 Osborne St				C	0.115	F	0.667	110	F	2012
						To: Bus US 15; SR 40, Lunenburg Hwy										
Charlotte County																
(732) Dickerson Rd	0.75	50	R			From: Dead End					NA			NA		05/15/2012
						To: 19-666 Vincent Store Rd										
(733) Ford Rd	0.58	50	R			From: Dead End					NA			NA		05/15/2012
						To: 19-664 Butterwood Rd										
(734) Trents Cemetery Rd	0.80	60	R			From: 19-617 Old Well Rd					NA			NA		05/15/2012
						To: Dead End										
Town of Keysville																
(735) Pecan St	0.08	70	R			From: Bus US 15					NA			NA		04/21/2009
(735) Pecan St	0.02	10	R			From: 19-789 Pecan St					NA			NA		04/21/2009
						To: Dead End										
Charlotte County																
(736) Hunters Rd	0.90	90	R			From: 19-701 Thortons Mill Rd					NA			NA		05/10/2012
						To: Dead End										
(737) Tatem Rd	0.30	110	R			From: Dead End					NA			NA		06/14/2012
						To: 19-612 Herman Rd										
(738) Ferguson Rd	0.22	40	R			From: SR 47					NA			NA		05/17/2012
						To: SR 47										
Town of Keysville																
(739) Wilson St	0.12	130	R			From: SR 59					NA			NA		06/07/2012
						To: 19-765 Arvin St										
Charlotte County																
(740) Old Forty-Seven Rd	0.33	60	R			From: SR 47 Graftons Gate Hwy					NA			NA		06/05/2012
						To: SR 47 Graftons Gate Hwy										
(741) Roanoke Creek Rd	0.25	60	R			From: 19-612 Hermon Rd					NA			NA		06/14/2012
						To: Dead End										
(742) Duffey Rd	0.55	80	R			From: Dead End					NA			NA		05/17/2012
						To: 19-654 Crab Orchard Rd										
(743) Shady Oaks Rd	0.50	90	R			From: Dead End					NA			NA		06/07/2012
						To: SR 40 George Washington Hwy										
(744) Elam Rd	0.55	60	R			From: 19-603 Lindward Rd					NA			NA		06/19/2012
						To: Mecklenburg County Line										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(745) Forest Trail Rd	0.20	90	R			From: Dead End To: 19-622 Old Kings Rd					NA			NA		06/19/2012
(746) Scuffletown Rd	6.34	700	F	88%	1%	1%	1%	8%	0%	C	0.106	F	0.513	720	F	2012
(746) Scuffletown Rd	3.76	510	F	88%	1%	1%	1%	8%	0%	F	0.106	F	0.534	530	F	2012
(746) Scuffletown Rd	2.08	450	F	88%	1%	1%	1%	8%	0%	F	0.115	F	0.57	460	F	2012
(747) Seamster Rd	0.80	60	R			From: Dead End To: 19-617 Bethel Rd					NA			NA		05/23/2012
(748) Deaner Rd	0.35	40	R			From: 19-678 Aspen Rd To: Dead End					NA			NA		05/23/2012
(749) Hills Creek Rd	0.25	60	R			From: 19-654 Crab Orchard Rd To: Dead End					NA			NA		05/17/2012
(750) New Town Rd	1.10	90	R			From: Dead End To: 19-746 Scuffletown Rd					NA			NA		06/14/2012
(751) St Louis Rd	0.90	90	R			From: Dead End To: SR 40 Patrick Henry Hwy					NA			NA		05/29/2012
(752) Azalea Rd	0.70	160	R			From: Dead End To: SR 47 Thomas Jefferson Hwy					NA			NA		04/06/2009
(753) Pump Handle Rd	0.30	8	R			From: 19-801 Pump Rd To: Dead End					NA			NA		05/10/2012
(754) Harmony Rd	0.40	50	R			From: Dead End To: 19-688 Blue Stone Rd					NA			NA		06/07/2012
(755) Legion Rd	0.15	20	R			From: SR 40 Lunenburg Hwy To: Dead End					NA			NA		06/12/2012
(756) Wren Rd	1.80	90	R			From: Campbell County Line To: 19-672 Midway Rd					NA			NA		04/08/2009
Town of Keysville																
(757) Osborne St	0.03	350	R			From: 19-765 Arvin St To: 19-772 E, Hill Ave					NA			NA		04/21/2009
(757) Osborne St	0.42	310	F	97%	1%	1%	0%	1%	0%	C	0.113	F	0.514	310	F	2012
(757) Osborne St	0.14	310	R			From: 19-731 Pettus St To: 19-722 Spaulding Ave					NA			NA		04/21/2009
(758) I St	0.11	20	F	99%	0%	0%	0%	0%	0%	F	0.4	F	0.625	20	F	2012
(758) I St	0.09	120	F	99%	0%	0%	0%	0%	0%	C	0.148	F	0.55	120	F	2012
(758) I St	0.09	420	R			From: Bus US 15 To: 19-712 Horseshoe Bend Rd					NA			NA		04/21/2009

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(759) Hailey Rd	0.12	130	R													06/14/2012
(760) Station Rd	0.18	40	R													05/17/2012
(761) Inge Rd	0.85	20	R													06/14/2012
(762) Turkey Creek Rd	3.25	90	R													05/15/2012
(763) Able Rd	0.70	60	R													06/19/2012
(764) Kennedy Rd	0.45	110	R													06/21/2012
Town of Keysville																
(765) Arvin St	0.05	360	R													06/07/2012
(765) Front St	0.15	180	F	97%	1%	0%	1%	1%	0%	F	0.116	F	0.578	190	F	2012
(765) Front St	0.15	170	F	97%	1%	0%	1%	1%	0%	C	0.123	F	0.609	170	F	2012
Charlotte County																
(766) Fernado Rd	0.40	60	R													05/15/2012
(767)	0.02	NA														
(768)	0.02	NA														
Town of Keysville																
(769) Mary Knoll Lane	0.23	90	R													06/12/2012
Charlotte County																
(770) Sawmill Rd	0.35	160	R													05/29/2012
Town of Keysville																
(771) Shaw Dr	0.10	70	R													06/12/2012
(771) Shaw Dr	0.10	20	R													06/12/2012
Charlotte County																
(772) Hill Ave	0.05	100	F	98%	1%	1%	0%	0%	0%	F	0.137	F	0.645	100	F	2012
(772) Hill Ave	1.59	210	F	98%	1%	1%	0%	0%	0%	F	0.114	F	0.615	210	F	2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Keyesville																
(772) Hill Ave	0.38	210	N	98%	1%	SCL Keyesville				N	0.114	N	0.615	210	N	2012
(772) Railroad Ave	0.10	540	F	98%	1%	19-757 W, Osborne St				C	0.094	F	0.537	550	F	2012
(773) Priddy St	0.05	90	R			Bus US 15								NA		04/21/2009
(774) Priddy St	0.16	40	R			19-774 Priddy St								NA		04/21/2009
(775) Moldavia Rd	0.25	60	R			19-826 Merry Oakes Lane								NA		06/07/2012
(775) Dabbs Bridge Rd	0.45	80	R			19-709 Union Cemetery Rd								NA		06/07/2012
(776) Mary Ave	0.04	110	R			SR 59								NA		06/07/2012
(777) Candy Rd	0.45	50	R			19-772 Hill Ave								NA		05/23/2012
(778) Coppermine Rd	0.50	60	R			Dead End								NA		06/12/2012
(779) Jacksonville Rd	0.40	70	R			19-772 Hill Ave								NA		06/14/2012
(780) Sunset	0.20	20	R			Dead End								NA		05/17/2012
(781) Pine Haven St	0.09	60	R			19-654 Crab Orchard Rd								NA		06/12/2012
(782) Walton Rd	0.63	140	R			Dead End								NA		04/27/2009
(783) Ulrich Plt Rd	0.30	60	R			SR 40 George Washington Hwy								NA		05/10/2012
(784) Scott Rd	0.90	180	R			Dead End								NA		06/05/2012
(785) Barrett Rd	0.75	70	R			19-613 Country Rd								NA		05/15/2012
(786) Dogwood Rd	0.60	100	R			Dead End								NA		05/31/2012
(787) Keyesville Main St	0.09	80	R			19-645 Evergreen Rd; Carwile Springs Rd								NA		06/12/2012
(787) Keyesville Main St	0.09	80	R			19-716 Farrar St								NA		06/12/2012
						19-796 Shadow Lane										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Keysville																
(787) Keysville Main St	0.05	2	R			From: 19-796 Shadow Lane To: Dead End					NA			NA		06/12/2012
Charlotte County																
(788) Carys Shop Rd	0.40	50	R			From: SR 47 Graftons Gate Hwy To: Dead End					NA			NA		06/19/2012
Town of Keysville																
(789) Pecan St	0.06	80	R			From: Dead End To: 19-735 Pecan St					NA			NA		04/21/2009
Charlotte County																
(790) Rosa Rd	0.50	60	R			From: Dead End To: 19-678 Aspen Rd					NA			NA		05/23/2012
(791) Thompson Blvd	0.22	50	R			From: SR 59 To: Dead End					NA			NA		06/05/2012
(792) Trainview Rd	0.60	60	R			From: Dead End To: 19-672 Mt Carmel Rd					NA			NA		05/23/2012
(793) Trails End Rd	0.70	150	R			From: Dead End To: SR 47 Thomas Jefferson Hwy					NA			NA		05/15/2012
(794) Jenkins Creek Rd	0.40	50	R			From: Dead End To: 19-649 Crawley Rd					NA			NA		05/17/2012
Town of Keysville																
(795) Arvin Rd	0.08	60	R			From: Dead End To: 19-765 Arvin St					NA			NA		06/07/2012
(796) Shadow Lane	0.08	150	R			From: Bus US 15 To: 19-787 Keysville Main St					NA			NA		04/21/2009
(796) Shadow Lane	0.12	100	R			From: 19-771 Shaw Dr					NA			NA		04/21/2009
Charlotte County																
(797) Jackson Court Rd	0.20	140	R			From: US 360 Kings Hwy To: Dead End					NA			NA		04/27/2009
(798) Community Rd	0.10	140	R			From: 19-606 Bacon School Rd To: Dead End					NA			NA		04/15/2009
(799) Ccc Rd	0.41	140	R			From: Dead End To: 19-623 West Point Stephens Rd					NA			NA		06/19/2012
(800) Hook Rd	0.30	49	R			From: Dead End To: 73-664; Pr Edward CL					NA			NA		04/27/2009
(800) Hook Rd	0.44	140	R			From: 19-671 County Line Rd					NA			NA		04/27/2009
(801) Pump Rd	0.08	10	R			From: Dead End To: 19-753 Pump Handle Rd					NA			NA		05/10/2012
(801) Pump Rd	0.67	40	R			From: Campbell County Line					NA			NA		05/10/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Charlotte County																	
(802) Horsepen Creek Lane	0.19	60	R			From: 19-699 Deer Rd					NA			NA		05/10/2012	
						To: Dead End											
(804) Roanoke Bridge Rd	0.25	40	R			From: 19-604 W, Roanoke Ridge Rd					NA			NA		04/21/2009	
						To: 19-604 E, Roanoke Ridge Rd											
(805) Pulliam Farm Rd	0.21	80	R			From: Dead End					NA			NA		06/14/2012	
						To: 19-606 Bacon School Rd											
(807) Eubanks Rd	0.30	60	R			From: Dead End					NA			NA		06/21/2012	
						To: US 15 Barnesville Hwy											
(810) Hare Rd	0.50	50	R			From: Dead End					NA			NA		06/26/2012	
						To: 19-608 Rocky Branch Rd											
(815) Canary Lane	0.06	30	R			From: US 15 Barnesville Hwy					NA			NA		06/21/2012	
						To: Cul-de-Sac											
(820) Pine Crest Rd	0.34	70	R			From: US 15 Farmville Hwy					NA			NA		06/07/2012	
						To: Dead End											
Town of Keysville																	
(823) June Lane	0.10	90	R			From: Bus US 15					NA			NA		06/12/2012	
						To: 19-824 Leisure Dr											
(824) Leisure Dr	0.15	30	R			From: Dead End					NA			NA		06/12/2012	
						To: 19-823 June Lane											
(825) Merry Oaks Lane	0.35	20	R			From: 19-826 Merry Oaks Lane					NA			NA		06/07/2012	
						To: SR 59											
Charlotte County																	
(826) Merry Oaks Lane	0.04	10	R			From: 19-825 Merry Oaks Lane					NA			NA		06/07/2012	
						To: WCL Keysville											
Town of Keysville																	
(826) Merry Oaks Lane	0.10	30	R			From: WCL Keysville					NA			NA		06/07/2012	
						To: SR 59											
Charlotte County																	
(830) Dat Rd	0.30	70	R			From: 19-645 Carwile Springs Rd					NA			NA		05/31/2012	
						To: Dead End											
Town of Phenix																	
(1001) Lincoln St	0.43	80	R			From: Dead End					NA			NA		04/08/2009	
						To: 19-1007 Chester St											
(1001) Lincoln St	0.07	210	R			From: 19-1007 Chester St					NA			NA		04/08/2009	
						To: SR 40; 19-675											
(1002) Charlotte Ave	0.14	290	R			From: SR 40; 19-675					NA			NA		04/08/2009	
						To: 19-1005 Park St											
(1003) Virginia Ave	0.07	60	R			From: SR 40 Patrick Henry Hwy					NA			NA		04/08/2009	
						To: 19-1004 Church St											
(1003) Virginia Ave	0.07	70	R			From: 19-1004 Church St					NA			NA		04/08/2009	
						To: 19-1005 Park St											

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Phenix																
1003 Virginia Ave	0.06	20	R									NA		NA		05/29/2012
1004 Church St	0.23	50	R									NA		NA		04/08/2009
1004 Church St	0.09	50	R									NA		NA		04/08/2009
1004 Church St	0.08	50	R									NA		NA		05/29/2012
1004 Church St	0.09	20	R									NA		NA		05/29/2012
1005 Park St	0.09	20	R									NA		NA		04/08/2009
1005 Park St	0.09	47	R									NA		NA		04/08/2009
1005 Park St	0.16	70	R									NA		NA		04/08/2009
1006 Randolph St	0.15	49	R									NA		NA		05/29/2012
1006 Randolph St	0.21	100	R									NA		NA		05/29/2012
1006 Randolph St	0.04	20	R									NA		NA		05/29/2012
1007 Chester St	0.09	110	R									NA		NA		04/08/2009
1008 Chester St	0.07	290	R									NA		NA		04/08/2009
1009 Kentucky Ave	0.05	20	R									NA		NA		05/29/2012
1010 Halifax St	0.05	40	R									NA		NA		05/29/2012
1010 Halifax St	0.19	80	R									NA		NA		05/29/2012
1011 Pennsylvania Ave	0.07	20	R									NA		NA		04/08/2009
1011 Pennsylvania Ave	0.07	40	R									NA		NA		04/08/2009
1012 Florida Ave	0.05	50	R									NA		NA		05/29/2012
1013 Florida Ave	0.06	20	R									NA		NA		05/29/2012
Town of Charlotte C.H.																
1101 Watkins Dr	0.34	120	R									NA		NA		05/31/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Charlotte C.H.																
(1102) Chestnut Lane	0.11	30	R			From: SR 47 Thomas Jefferson Hwy To: Dead End					NA			NA		04/21/2009
(1103) Patrick Henry Ave	0.56	130	R			From: SR 47 Thomas Jefferson Hwy To: SR 40 George Washington Hwy					NA			NA		04/21/2009
(1104) Morrison Grove Dr	0.19	60	R			From: Dead End To: 19-709 Union Cemetery Rd					NA			NA		04/21/2009
(1105) Wilfan Dr	0.06	2	R			From: 19-1103 Patrick Henry Ave To: Dead End					NA			NA		05/31/2012
(1106) Gold Leaf Dr	0.50	170	R			From: Dead End To: 19-645 Evergreen Rd					NA			NA		05/31/2012
(1107) Twin Oaks Dr	0.09	50	R			From: SR 40 George Washington Hwy To: 19-1103 Patrick Henry Ave					NA			NA		04/21/2009
(1108) Dixie Youth Dr	0.19	510	R			From: Dead End To: SR 40 George Washington Hwy					NA			NA		05/31/2012
(1109) Carey Dr	0.25	70	R			From: 19-709 Union Cemetery Rd To: Dead End					NA			NA		04/21/2009
(1110) Moses Dr	0.15	70	R			From: Dead End To: SR 47 Thomas Jefferson Hwy					NA			NA		04/21/2009
(1111) Statesman Dr	0.65	570	R			From: SR 40 David Bruce Ave To: SR 47					NA			NA		04/21/2009
(1113)	0.25	260	R			From: Dead End To: 19-1111 Statesman Dr					NA			NA		04/21/2009
(1114) Law Lane	0.08	220	R			From: 19-1111 Statesman Dr To: 0.08 ME 19-1111					NA			NA		05/31/2012
(1114) Law Lane	0.14	360	R			From: 0.08 ME 19-1111 To: SR 47					NA			NA		05/31/2012
Town of Drakes Branch																
(1201) School St	0.12	110	R			From: Dead End To: 19-619 Proctor St					NA			NA		06/05/2012
(1202) White St	0.20	100	R			From: SR 47 To: Dead End					NA			NA		06/05/2012
(1203) Harold St	0.03	290	R			From: 19-619 Proctor St To: SR 47					NA			NA		06/05/2012
(1204) Isabella St	0.24	170	R			From: 19-619 Proctor St To: SR 47					NA			NA		06/05/2012
(1205) Marshall St	0.25	230	R			From: SR 47 To: 0.25 ME SR 47					NA			NA		06/05/2012
(1205) Marshall St	0.25	150	R			From: 0.25 ME SR 47 To: Dead End					NA			NA		06/05/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Drakes Branch																
(1206) New York Ave	0.25	140	R				SR 47				NA		NA			06/05/2012
							Dead End									
(1207) Green St	0.21	180	R				19-619 Proctor St				NA		NA			06/05/2012
							19-637 Saxkey Rd									
(1208) Pine St	0.06	20	R				Dead End				NA		NA			06/05/2012
							19-619 Proctor St									
(1209) Bedford St	0.16	70	R				Cul-de-Sac				NA		NA			06/05/2012
							19-623 West Point Stevens Rd									
(1210) Dunlop St	0.15	4	R				Dead End				NA		NA			06/05/2012
							19-1212 Foster St									
(1210) Dunlop St	0.01	260	R				SR 47				NA		NA			06/05/2012
							Dead End									
(1211) Fawthorp St	0.06	20	R				Dead End				NA		NA			06/05/2012
							19-623 West Point Stevens Rd									
(1212) Foster St	0.12	190	R				19-1210 Dunlop St				NA		NA			06/05/2012
							Dead End									
(1213) Payne St	0.06	270	R				Dead End				NA		NA			06/05/2012
							SR 47									
Charlotte County																
(9091) School Lane	0.23	490	R				19-654 Eureka School Rd				NA		NA			03/06/2012
							Eureka Elem School									
(9477)	0.06	390	R				J Murry Jeffress Elem Sch				NA		NA			03/09/2009
							SR 40 Patrick Henry Hwy									
Town of Charlotte C.H.																
(9504)	0.03	400	R				SR 47 Thomas Jefferson Hwy				NA		NA			03/06/2012
							Central High School									
Town of Phenix																
(9729)	0.09	460	R				19-727 Red House Rd				NA		NA			03/06/2012
							Phenix Elem School									
Charlotte County																
(9730) Bacon Elem School	0.09	440	R				19-606 Bacon School Rd				NA		NA			03/06/2012
							Bacon Elem School									