

2012

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

37

Goochland County

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
-  Bypas - Bypass Route
-  Truck - Truck Route
- ALT
 ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
		From:	Fluvanna County Line, ECL Columbia													
6 River Rd West	Goochland County	6.01	1500	F	95%	1%	1%	1%	2%	0%	C	0.103	F	0.518	1500	F
		To:	SR 45 Georges Tavern													
6 River Rd West	Goochland County	6.47	3500	F	95%	1%	1%	1%	2%	0%	F	0.082	F	0.713	3600	F
		To:	37-600 Rock Castle Rd													
6 River Rd West	Goochland County	3.41	5000	F	95%	1%	1%	1%	2%	0%	F	0.087	F	0.726	5200	F
		To:	US 522 W, Sandy Hook Rd													
6 522 River Road West	Goochland County	1.74	6600	F	97%	0%	1%	0%	2%	0%	F	0.086	F	0.548	6800	F
		To:	E US 522													
6 River Rd West	Goochland County	4.95	3800	F	98%	0%	1%	1%	0%	0%	F	0.097	F	0.611	3900	F
		To:	US 522 E, Maidens Rd													
6 River Rd West	Goochland County	6.62	5400	F	98%	0%	1%	1%	0%	0%	F	0.109	F	0.529	5500	F
		To:	37-628 Lee Rd													
6 Patterson Ave	Goochland County	1.84	9000	F	96%	0%	0%	2%	1%	0%	C	0.097	F	0.51	9300	F
		To:	SR 288													
6 Patterson Ave	Goochland County	2.36	19000	F	98%	0%	1%	1%	0%	0%	C	0.106	F	0.549	19000	F
		To:	Henrico County Line													
45 Cartersville Rd	Goochland County	2.47	880	F	97%	1%	1%	1%	1%	0%	F	0.108	F	0.739	900	F
		To:	37-707 Hackney Rd													
45 Cartersville Rd	Goochland County	2.57	1300	F	97%	1%	1%	1%	1%	0%	C	0.102	F	0.648	1400	F
		To:	SR 6 River Rd West													
East 64		From:	Maintenance Boundary													
	Goochland County	1.11	14000	A	89%	1%	1%	0%	9%	0%	F	0.132	A		12000	A
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 28000 A 89% 1% 1% 0% 9% 0% F 0.12 A 0.533 25000 A														
		To:	37-605 Shannon Hill Rd													
East 64	Goochland County	3.92	14000	A	89%	1%	1%	0%	9%	0%	F	0.129	A		13000	A
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 28000 A 89% 1% 1% 0% 9% 0% F 0.12 A 0.527 26000 A														
		To:	37-629 Old Fredericksburg Rd													
East 64	Goochland County	5.20	14000	A	89%	1%	1%	0%	9%	0%	F	0.126	A		13000	A
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 29000 A 89% 1% 1% 0% 9% 0% F 0.118 A 0.69 27000 A														
		To:	Louisa County Line													
East 64	Louisa County (Maint: 37)	1.49	14000	A	89%	1%	1%	0%	9%	0%	F	0.126	A		13000	A
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 29000 A 89% 1% 1% 0% 9% 0% F NA 27000 A														
		To:	US 522 Cross County Rd													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: US 522 Cross County Rd															
	Louisa County (Maint: 37)	3.07	16000	A	89%	1%	1%	0%	9%	0%	F	0.117	A	15000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		32000	N	89%	1%	1%	0%	9%	0%	N	NA		30000	N	
	To: Goochland County Line															
East 64	From: Louisa County Line															
	Goochland County	4.81	16000	A	89%	1%	1%	0%	9%	0%	F	0.117	A	15000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		32000	A	89%	1%	1%	0%	9%	0%	F	0.113	A	0.536	30000	A
	To: 37-617 Oilville Rd															
East 64	From: 37-617 Oilville Rd															
	Goochland County	6.56	20000	A	89%	1%	1%	0%	9%	0%	F	0.114	A	20000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000	A	89%	1%	1%	0%	9%	0%	F	0.108	A	0.581	40000	A
	To: 37-623 Ashland Rd															
East 64	From: 37-623 Ashland Rd															
	Goochland County	1.19	24000	A	89%	1%	1%	0%	9%	0%	F	0.119	A	24000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	A	89%	1%	1%	0%	9%	0%	F	0.107	A	0.594	49000	A
	To: SR 288															
East 64	From: SR 288															
	Goochland County	0.64	32000	A	89%	1%	1%	0%	9%	0%	F	0.146	A	35000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		64000	A	89%	1%	1%	0%	9%	0%	F	NA		71000	A	
	To: Henrico County Line															
East 64 Ramp	From: I-64-E TO RT 605WEST & EAST															
	Goochland County	0.19	590	F								0.141	F	590	F	
	To: 37-605; 37-605- 7A FROM & TO I-64															
East 64 Ramp	From: I-64-E TO RT 629WEST & EAST															
	Goochland County	0.18	370	F								0.161	F	370	F	
	To: 37-629; 37-629- 1A FROM & TO I-64															
East 64 Ramp	From: I-64-E TO US 522SOUTH & NORTH															
	Goochland County	0.26	880	F								0.118	F	880	F	
	To: US 522 US 522- 18A FROM & TO I-64															
East 64 Ramp	From: I-64-E TO RT 617SOUTH & NORTH															
	Goochland County	0.13	520	F								0.108	F	520	F	
	To: 37-617; 37-617- A FROM & TO I-64															
East 64 Goochland Rest Area Ramp	From: I-64 East to Rest Area															
	Goochland County	0.09	NA									NA		NA		
	To: Enter Rest Area Parking Lot															
East 64 Goochland Rest Area Ramp	From: Exit Rest Area Parking Lot															
	Goochland County	0.13	1200	F								0.099	F	1200	F	
	To: I-64 East from Rest Area															
East 64 Ramp	From: I-64 Eastbound															
	Goochland County	0.21	1500	F								0.108	F	1500	F	
	To: 37-623 Ashland Rd															
East 64 Ramp From I-64 E to SR 288	From: I-64 East															
	Goochland County	0.23	5800	A								0.118	A	5800	A	
	To: SR 288															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64	From: Maintenance Boundary															
	Goochland County	1.50	14000	A	89%	1%	1%	0%	9%	0%	F	0.126	A	13000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		28000	A	89%	1%	1%	0%	9%	0%	F	0.12	A	0.533	25000	A
West 64	From: 37-605 Shannon Hill Rd															
	Goochland County	3.92	14000	A	89%	1%	1%	0%	9%	0%	F	0.125	A	13000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		28000	A	89%	1%	1%	0%	9%	0%	F	0.12	A	0.527	26000	A
West 64	From: 37-629 Old Fredericksburg Rd															
	Goochland County	4.75	15000	A	89%	1%	1%	0%	9%	0%	F	0.125	A	14000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	A	89%	1%	1%	0%	9%	0%	F	0.118	A	0.69	27000	A
West 64	From: Louisa County Line															
	Louisa County (Maint: 37)	2.03	15000	A	89%	1%	1%	0%	9%	0%	F	0.125	A	14000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	A	89%	1%	1%	0%	9%	0%	F	NA			27000	A
West 64	From: US 522 Cross County Rd															
	Louisa County (Maint: 37)	2.61	16000	N	89%	1%	1%	0%	9%	0%	N	0.124	N	15000	N	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		32000	N	89%	1%	1%	0%	9%	0%	N	NA			30000	N
West 64	From: Goochland County Line															
	Goochland County	5.02	16000	A	89%	1%	1%	0%	9%	0%	F	0.124	A	15000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		32000	A	89%	1%	1%	0%	9%	0%	F	0.113	A	0.536	30000	A
West 64	From: 37-617 Oilville Rd															
	Goochland County	6.56	20000	A	89%	1%	1%	0%	9%	0%	F	0.125	A	20000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000	A	89%	1%	1%	0%	9%	0%	F	0.108	A	0.581	40000	A
West 64	From: 37-623 Ashland Rd															
	Goochland County	0.71	24000	A	89%	1%	1%	0%	9%	0%	F	0.124	A	24000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	A	89%	1%	1%	0%	9%	0%	F	0.107	A	0.594	49000	A
West 64	From: SR 288															
	Goochland County	0.74	32000	A	89%	1%	1%	0%	9%	0%	F	0.144	A	36000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		64000	A	89%	1%	1%	0%	9%	0%	F	NA			71000	A
West 64 Ramp	From: I-64-W TO RT 605WEST & EAST															
	Goochland County	0.19	720	F								0.17	F	720	F	
	To: 37-605; 37-605- 7B FROM & TO I-64															
West 64 Ramp	From: I-64-W TO RT 629WEST & EAST															
	Goochland County	0.17	820	A								0.17	A	850	A	
	To: 37-629; 37-629- 1B FROM & TO I-64															
West 64 Ramp	From: I-64-W TO US 522SOUTH & NORTH															
	Goochland County	0.24	2800	F								0.165	F	2800	F	
	To: US 522 US 522- 18B FROM & TO I-64															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
West 64 Ramp	From: I-64-W TO RT 617SOUTH & NORTH Goochland County To: 37-617; 37-617- B FROM & TO I-64	0.14	4900	F										0.158	F	4900	F
West 64 Goochland Rest Area Ramp	From: I-64 West to Rest Area Goochland County To: Enter Rest Area Parking Lot	0.05	950	F										0.106	F	950	F
West 64 Goochland Rest Area Ramp	From: Exit Rest Area Parking Lot Goochland County To: I-64 West from Rest Area	0.08	1200	G										NA		1200	G
West 64 Ramp from I-64 W Exit 173A to 37-623	From: I-64 West Goochland County To: 37-623 Ashland Rd	0.18	6200	F	95%	0%	1%	2%	1%	0%	F			0.121	F	6300	F
West 64 Ramp from I-64 W Exit 175A to SR 288	From: I-64 West Goochland County To: SR 288 S	0.45	14000	A	95%	0%	1%	1%	3%	0%	F			0.187	A	17000	A
250 Broad Street Rd	From: Fluvanna County Line Goochland County (Maint: 54) To: 37-605 Shannon Hill Rd	2.05	1100	N	97%	0%	1%	0%	1%	0%	N			0.087	N	1100	N
250 Broad Street Rd	From: 37-605 Shannon Hill Rd Goochland County (Maint: 54) To: Richmond Maintenance Boundary	0.29	1400	G	97%	0%	1%	0%	1%	0%	F			0.105	F	1400	G
250 Broad Street Rd	From: Richmond Maintenance Boundary Goochland County To: 37-606 Three Chopt Rd; Hadensville-Fife Rd	3.23	1500	F	97%	0%	1%	0%	1%	0%	C			0.095	F	1500	F
250 Broad Street Rd	From: 37-606 Three Chopt Rd; Hadensville-Fife Rd Goochland County To: Louisa County Line	6.80	1100	F	97%	0%	1%	0%	1%	0%	F			0.099	F	1200	F
250 Broad Street Rd	From: Louisa County Line Louisa County (Maint: 37) To: Goochland County Line	0.48	2400	F	97%	0%	1%	0%	1%	0%	F			0.091	F	2500	F
250 Broad Street Rd	From: US 522 Cross County Rd; Sandy Hook Rd Louisa County (Maint: 37) To: US 522 Cross County Rd	1.63	1600	F	98%	0%	1%	1%	1%	0%	C			0.098	F	1700	F
250 Broad Street Rd	From: Goochland County Line Goochland County To: Louisa County Line	6.72	2600	F	99%	0%	0%	1%	0%	0%	C			0.107	F	2700	F
250 Broad Street Rd	From: 37-670 Cardwell Rd Goochland County To: 37-621 Manakin Rd	5.58	5400	F	99%	0%	0%	1%	0%	0%	F			0.101	F	5500	F
250 Broad Street Rd	From: 37-621 Manakin Rd Goochland County To: 37-623 W, Hockett Rd	0.47	12000	F	99%	0%	0%	1%	0%	0%	F			0.087	F	12000	F
250 Broad Street Rd	From: 37-623 W, Hockett Rd Goochland County To: SR 288	1.47	11000	F	98%	0%	1%	1%	0%	0%	C			0.082	F	12000	F
250 Broad Street Rd	From: SR 288 Goochland County To: Henrico County Line	0.28	27000	F	98%	0%	1%	0%	0%	0%	F			0.113	F	27000	F

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
271 Pouncey Tract Rd	From: Henrico County Line															
	Goochland County	0.53	6200	F	96%	0%	1%	3%	1%	0%	C	0.095	F	0.575	6300	F
288	To: Hanover County Line															
	From: Powhatan County Line															
Goochland County	1.57	47000	A	96%	0%	0%	1%	2%	0%	C	0.133	A	0.677	52000	A	
288	To: SR 6 Patterson Ave															
	Goochland County	0.64	37000	F	96%	0%	1%	1%	2%	0%	F	0.118	N	0.617	43000	F
288	To: West Creek Parkway															
	Goochland County	1.68	37000	F	96%	0%	1%	1%	2%	0%	F	0.118	F	0.617	44000	F
288	To: Tuckahoe Creek Parkway															
	Goochland County	1.79	46000	A	96%	0%	1%	1%	2%	0%	C	0.156	A	0.567	53000	A
288	To: US 250 Broad St															
	Goochland County	0.85	39000	A	95%	0%	1%	1%	3%	0%	C	0.156	A	0.518	45000	A
North 288 Ramp	To: I-64															
	From: SR 288 N															
Goochland County	0.35	13000	B									0.189	A	16000	B	
North 288 Ramp	To: I-64 E															
	From: SR 288 N															
Goochland County	0.37	6300	A									0.127	A	6400	A	
522 Maidens Rd	To: I-64 W															
	From: Powhatan County Line															
Goochland County	0.38	3900	F	94%	1%	1%	1%	2%	0%	F	0.111	F	0.642	4000	F	
522 6 River Road West	To: S SR 6 River Road West															
	From: S SR 6; Maidens Rd															
Goochland County	1.74	6600	F	97%	0%	1%	0%	2%	0%	F	0.086	F	0.548	6800	F	
522 Sandy Hook Rd	To: N SR 6; Sandy Hook Rd															
	From: N SR 6 River Road West															
Goochland County	6.24	3900	F	97%	0%	1%	0%	2%	0%	C	0.099	F	0.574	4000	F	
522 Cross County Rd	To: Louisa County Line															
	From: Goochland County Line															
Louisa County (Maint: 37)	0.35	4200	F	94%	1%	1%	1%	2%	0%	F	0.093	F	0.641	4300	F	
522 Ramp	To: US 250 Broad Street Rd															
	From: US 522 I-64-E159A FROM & TO IS 64															
Goochland County	0.26	3000	F									0.191	F	3000	F	
522 Ramp	To: I-64-E FRO US 522SOUTH & NORTH															
	From: US 522 I-64-W159A FROM & TO IS 64															
Goochland County	0.27	1000	F									0.098	F	1000	F	
522 Ramp	To: I-64-W FROM US 522SOUTH & NORTH															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(F84) Fleming Rd	0.27	120	R								NA		NA			06/11/2012
(F85) Ange Rd	0.73	40	R								NA		NA			05/23/2012
(F86) Aspen Rd	0.14	10	R								NA		NA			05/23/2012
(F88) Junction Rd	0.13	60	R								NA		NA			06/11/2012
(F91) Goosewing Rd	0.25	220	R								NA		NA			06/18/2012
(F92) Landis Rd	0.47	70	R								NA		NA			06/18/2012
(F94) Bennington Rd	0.84	270	R								NA		NA			07/31/2012
(F1067) Sweetback Lane	0.21	30	R								NA		NA			09/15/2009
(F1068)	0.26	2	R								NA		NA			09/21/2009
(674 ₃₂) Timber Rd	0.20	20	R								NA		NA			07/08/2008
(674 ₃₂) Timber Rd	0.20	90	R								NA		NA			07/08/2008
(600) Rock Castle Rd	1.50	40	R								NA		NA			04/30/2012
(600) Rock Castle Rd	2.64	410	R								NA		NA			04/30/2012
(600) Rock Castle Rd	3.73	1100	R								NA		NA			04/30/2012
(600) Rock Castle Rd	0.53	210	R								NA		NA			04/30/2012
(601) Pryor Rd	2.19	200	R								NA		NA			07/20/2009
(602) Old Stage Rd	0.50	60	R								NA		NA			07/22/2009
(603) Elk Island Rd	1.23	90	R								NA		NA			06/11/2012
(603) Elk Island Rd	2.21	110	R								NA		NA			06/11/2012
(603) Tabscott Rd	2.30	130	R								NA		NA			06/11/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Goochland County																	
603	Tabscott Rd	2.35	80	R								NA		NA		08/10/2009	
603	Tabscott Rd	0.51	50	R								NA		NA		07/13/2009	
603	Tabscott Rd	4.70	110	R								NA		NA		06/11/2012	
604	Whitsell Rd	0.44	440	R								NA		NA		07/13/2009	
605	Shannon Hill Rd	0.95	250	R								NA		NA		07/31/2012	
605	Shannon Hill Rd	3.92	540	R								NA		NA		05/07/2012	
605	Shannon Hill Rd	1.95	760	R								NA		NA		07/31/2012	
605	Shannon Hill Rd	0.40	1700	F	95%	1%	0%	1%	3%	0%	F	0.095	F	0.703	1700	F	2012
605	Shannon Hill Rd	0.15	1400	G	95%	1%	0%	1%	3%	0%	F	0.095	N	0.703	1400	G	2012
605	Shannon Hill Rd	0.31	1500	F	95%	1%	0%	1%	3%	0%	C	0.101	F	0.614	1500	F	2012
605	Ramp	0.24	720	F								0.19	F		720	F	2012
605	Ramp	0.24	580	F								0.162	F		580	F	2012
606	Hadensville-Fife Rd	1.07	1300	F	96%	3%	1%	0%	0%	0%	C	0.115	F	0.577	1400	F	2012
606	Hadensville-Fife Rd	3.12	790	F	96%	3%	1%	0%	0%	0%	F	0.123	F	0.619	810	F	2012
606	Hadensville-Fife Rd	0.02	980	F	96%	3%	1%	0%	0%	0%	F	0.134	F	0.506	1000	F	2012
606	Hadensville-Fife Rd	3.04	730	F	96%	3%	1%	0%	0%	0%	F	0.100	F	0.558	750	F	2012
606	Hadensville-Fife Rd	1.52	1300	F	96%	3%	1%	0%	0%	0%	F	0.091	F	0.594	1300	F	2012
606	Hadensville-Fife Rd	0.38	590	R								NA		NA		07/13/2009	
606	Three Chopt Rd	1.67	540	R								NA		NA		07/13/2009	
607	Irwin Rd	0.40	9	R								NA		NA		04/30/2012	
607	Jackson Shop Rd	3.15	170	R								NA		NA		04/26/2012	
608	Elk Hill Rd	1.70	130	R								NA		NA		07/20/2009	

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(608) Davis Mill Rd	1.20	160	R								NA			NA		07/20/2009
			From: SR 6 River Rd West													
			To: 37-606 Hadensville-Fife Rd													
(608) Davis Mill Rd	4.93	200	R								NA			NA		07/20/2009
			From: 37-673 Whitehall Rd													
			To: 37-603 Tabscott Rd													
(609) Hickory Hill Rd	2.30	250	R								NA			NA		05/07/2012
			From: 37-606 W, Hadensville-Fife Rd													
			To: 37-606 E, Hadensville-Fife Rd													
(609) Three Chopt Rd	3.00	480	R								NA			NA		05/07/2012
			From: US 250 Broad Street Rd													
			To: Fluvanna County Line													
(610) Community House Rd	5.70	370	R								NA			NA		07/13/2009
			From: 37-606 Hadensville-Fife Rd													
			To: 37-673 Whitehall Rd													
(611) Cedar Plains Rd	4.13	270	R								NA			NA		05/07/2012
			From: 37-615 Forest Grove Rd													
			To: 37-621 Manakin Rd													
(612) Three Chopt Rd	2.05	550	R								NA			NA		08/03/2009
			From: US 250 E, Broad Street Rd													
			To: US 250 W, Broad Street Rd													
(612) Three Chopt Rd	1.45	280	R								NA			NA		08/12/2009
			From: 37-654 Shallow Well Rd													
			To: 37-615 Chapel Hill Rd													
(613) Riddles Bridge Rd	3.81	490	R								NA			NA		07/31/2012
			From: 37-614 Dogtown Rd													
			To: SR 6 River Rd West													
(614) Dogtown Rd	2.70	510	G								NA			510	G	2012
			From: 37-613 Riddles Bridge Rd													
(614) Dogtown Rd	1.25	1600	R								NA			NA		07/22/2009
			From: 37-673 Whitehall Rd													
			To: SR 6 River Rd West													
(615) Chapel Hill Rd	4.30	240	R								NA			NA		05/07/2012
			From: 37-673 E, Whitehall Rd													
			To: 37-673 W, Whitehall Rd													
(615) Forest Grove Rd	3.15	310	R								NA			NA		05/07/2012
			From: 37-609 Three Chopt Rd													
			To: Dead End													
(616) Stokes Station Rd	0.40	20	R								NA			NA		07/22/2009
			From: 37-618 Whittcamp Rd													
(616) Stokes Station Rd	1.50	130	R								NA			NA		07/22/2009
			From: 37-678 Marlin Rd													
(616) Stokes Station Rd	0.97	530	R								NA			NA		07/22/2009
			From: 37-625 N, St Pauls Church Rd													
(616) Haskins Rd	3.13	180	R								NA			NA		04/30/2012
			From: SR 6 River Rd West													
			To: US 250 Broad Street Rd													
(617) Oilville Rd	0.72	8700	F	97%	0%	1%	1%	2%	0%	C	0.099	F	0.711	8900	F	2012
			From: I-64													
(617) Oilville Rd	0.25	4900	F	97%	0%	1%	1%	2%	0%	F	0.097	F	0.727	5000	F	2012
			From: 37-702 Pony Farm Rd													
(617) Oilville Rd	0.20	3300	F	97%	0%	1%	1%	2%	0%	F	0.113	F	0.82	3300	F	2012
			From: 37-620 Hanover Rd													
(617) Oilville Rd	0.33	2000	F	97%	0%	1%	1%	2%	0%	F	0.103	F	0.696	2100	F	2012
			From: Hanover County Line													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(617) Ramp	0.14	5500	F								0.176	F		5500	F	2012
(617) Ramp	0.20	590	F								0.119	F		590	F	2012
(618) Whittcamp Rd	3.10	120	R								NA			NA		07/31/2012
(619) Newline Rd	0.95	440	R								NA			NA		08/10/2009
(620) Hanover Rd	0.80	940	F	98%	0%	1%	0%	1%	0%	C	0.099	F	0.561	960	F	2012
(620) Hanover Rd	0.80	640	F	98%	0%	1%	0%	1%	0%	F	0.114	F	0.582	660	F	2012
(621) Manakin Ferry Rd	0.70	80	R								NA			NA		08/03/2009
(621) Manakin Rd	5.95	1500	F	98%	0%	1%	0%	0%	0%	C	0.088	F	0.582	1500	F	2012
(621) Manakin Rd	0.58	3300	F	98%	0%	1%	0%	0%	0%	F	0.090	F	0.655	3400	F	2012
(621) Manakin Rd	2.74	1900	F	98%	0%	1%	1%	0%	0%	C	0.094	F	0.672	2000	F	2012
(621) Manakin Rd	0.39	630	F	98%	0%	1%	1%	0%	0%	F	0.109	F	0.7	650	F	2012
(622) Three Chopt Rd	0.23	80	R								NA			NA		08/24/2009
(622) Three Chopt Rd	1.37	70	R								NA			NA		04/09/2012
(622) Rockville Rd	2.35	2200	F	99%	0%	1%	0%	0%	0%	C	0.093	F	0.821	2300	F	2012
(623) Hockett Rd	1.42	1200	F	95%	0%	1%	2%	1%	0%	F	0.124	F	0.767	1200	F	2012
(623) Hockett Rd	3.72	1900	F	95%	0%	1%	2%	1%	0%	F	0.110	F	0.7	2000	F	2012
(623) Ashland Rd	1.17	9300	F	95%	0%	1%	2%	1%	0%	C	0.1	F	0.63	9600	F	2012
(623) Ashland Rd	2.38	6200	F	93%	0%	2%	3%	2%	0%	C	0.104	F	0.64	6400	F	2012
(623) Ramp	0.18	6300	F								0.124	F		6300	F	2012
(623) Ramp	0.16	1500	F								0.128	F		1500	F	2012
(624) Vinita Rd	0.35	80	R								NA			NA		05/23/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(625) Three Square Rd	1.50	630	R								NA			NA		07/22/2009
			From: 37-600 Rock Castle Rd													
			To: 37-616 S, Stokes Station Rd													
(625) St Pauls Church Rd	2.65	250	R								NA			NA		07/22/2009
			From: 37-616 N, Haskins Rd; Stokes Station Rd													
			To: SR 45 Cartersville Rd													
(626) Seay Rd	2.85	380	R								NA			NA		07/31/2012
			From: 37-654 Shallow Well Rd													
			To: 37-621 Manakin Rd													
(627) Ben Lomond Rd	1.35	30	R								NA			NA		07/22/2009
			From: 37-600 Rock Castle Rd													
			To: Dead End													
(628) Lee Rd	0.92	90	R								NA			NA		05/23/2012
			From: Dead End													
			To: 0.92 MN Dead End													
(628) Lee Rd	1.48	220	R								NA			NA		05/23/2012
			From: 0.92 MN Dead End													
			To: SR 6 River Rd West													
(629) Old Fredericksburg Rd	0.30	680	F	93%	0%	1%	1%	5%	0%	C	0.104	F	0.709	700	F	2012
			From: 37-606 Hadensville-Fife Rd													
			To: US 250 Broad Street Rd													
(629) Old Fredericksburg Rd	0.78	1800	F	95%	1%	1%	1%	3%	0%	C	0.098	F	0.665	1800	F	2012
			From: US 250 Broad Street Rd													
			To: I-64													
(629) Old Fredericksburg Rd	2.04	1000	R								NA			NA		07/13/2009
			From: I-64													
			To: Louisa County Line													
(629) Ramp	0.24	840	A	95%	1%	1%	1%	3%	0%	F	0.195	A		870	A	2012
			From: 37-629 I-64-E152A FROM & TO IS 64													
			To: I-64-E FROM RT 629WEST & EAST													
(629) Ramp	0.25	380	F								0.17	F		380	F	2012
			From: 37-629 I-64-W152A FROM & TO IS 64													
			To: I-64-W FROM RT 629WEST & EAST													
(630) Cedar Point Rd	0.70	47	R								NA			NA		04/30/2012
			From: Dead End													
			To: SR 6 River Rd West													
(631) Scott Rd	0.25	40	R								NA			NA		07/27/2009
			From: Dead End													
			To: 37-666 Gathright Dr													
(631) Scott Rd	0.25	90	R								NA			NA		07/27/2009
			From: 37-666 Gathright Dr													
			To: 37-1205 Pitts Ave													
(631) Scott Rd	0.15	150	R								NA			NA		07/27/2009
			From: 37-1205 Pitts Ave													
			To: US 522 River Rd West													
(632) Fairground Rd	1.66	6700	F	98%	0%	1%	0%	1%	0%	C	0.100	F	0.675	6800	F	2012
			From: US 522 Sandy Hook Rd													
			To: 37-634 Maidens Rd													
(632) Fairground Rd	1.32	7100	F	98%	0%	1%	0%	1%	0%	F	0.099	F	0.654	7300	F	2012
			From: 37-634 Maidens Rd													
			To: 37-637 Hawk Town Rd													
(632) Fairground Rd	2.16	7000	F	98%	0%	1%	0%	1%	0%	F	0.099	F	0.659	7200	F	2012
			From: 37-637 Hawk Town Rd													
			To: US 250 Broad Street Rd													
(633) Poor House Rd	2.12	600	R								NA			NA		04/30/2012
			From: US 522 Sandy Hook Rd													
			To: 37-634 Maidens Rd													
(634) Maidens Rd	2.40	1700	R								NA			NA		07/27/2009
			From: US 522 River Road West; Maidens Rd													
			To: 37-632 Fairground Rd													
(634) Maidens Rd	1.50	660	R								NA			NA		07/27/2009
			From: 37-632 Fairground Rd													
			To: 37-637 Hawk Town Rd													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(634) Maidens Rd	1.80	430	R								NA			NA		07/27/2009
			From: 37-637 Hawk Town Rd													
			To: 37-702 Pony Farm Rd													
(634) Maidens Rd	0.50	230	R								NA			NA		07/27/2009
			From: 37-672 Turner Rd													
			To: US 250 Broad Street Rd													
(634) Maidens Rd	0.20	280	R								NA			NA		07/27/2009
			From: 37-637 Hawk Town Rd													
			To: US 250 E, Broad Street Rd													
(635) Perkinsville Church Rd	1.90	210	F	98%	0%	1%	0%	1%	0%	C	0.103	F	0.708	220	F	2012
			To: Louisa County Line													
(636) Elpis Church Rd	0.70	230	R								NA			NA		06/11/2012
			From: US 250 Broad Street Rd													
			To: 37-702 Pony Farm Rd													
(637) Hawk Town Rd	1.50	490	R								NA			NA		04/12/2012
			From: 37-632 Fairground Rd													
			To: 37-634 Maidens Rd													
(638) Soldiers Lodge Rd	0.27	46	R								NA			NA		07/29/2009
			From: Dead End													
			To: 37-639 Sheppard Town Rd													
(639) Sheppard Town Rd	5.08	530	R								NA			NA		07/31/2012
			From: 37-634 Maidens Rd													
			To: 37-670 Cardwell Rd													
(640) Rochelle Rd	0.24	100	R								NA			NA		09/15/2009
			From: SR 6 Patterson Ave													
			To: Dead End													
(641) Taylor Rd	0.64	380	R								NA			NA		04/12/2012
			From: Dead End													
			To: 37-670 S, Cardwell Rd													
(641) Genito Rd	1.55	210	R								NA			NA		04/12/2012
			From: 37-670 E, Cardwell Rd													
			To: 37-654 Shallow Well Rd													
(641) Shallow Well Rd	1.95	360	R								NA			NA		02/16/2006
			From: 37-654; Genito Rd													
			To: 37-644 Miller Lane													
(642) Dover Rd	1.90	150	R								NA			NA		07/29/2009
			From: SR 6 River Rd West													
			To: 37-641 Shallow Well Rd													
(643) West View Rd	1.10	50	R								NA			NA		04/30/2012
			From: Dead End													
			To: 37-600 Rock Castle Rd													
(644) Sabot Station Rd	0.08	45	R								NA			NA		07/29/2009
			From: Dead End													
			To: SR 6 E, River Rd West													
(644) Miller Lane	4.50	540	R								NA			NA		07/29/2009
			From: SR 6 W, River Rd West													
			To: 37-621 Manakin Rd													
(645) Beaverdam Creek Rd	1.33	330	R								NA			NA		04/12/2012
			From: SR 6 River Rd West													
			To: Dead End													
(646) Duval Rd	2.47	140	R								NA			NA		05/07/2012
			From: 37-603 Tabscott Rd													
			To: US 250 Broad Street Rd													
(647) Pagebrook Dr	0.60	620	R								NA			NA		05/07/2012
			From: 37-650 River Rd													
			To: 37-1109 S, Briarwood Circle													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(647) Pagebrook Dr	0.10	690	R								NA			NA		05/07/2012
			From: 37-1109 S, Briarwood Circle													
(647) Pagebrook Dr	0.45	830	R								NA			NA		05/07/2012
			To: 37-1109 N, Briarwood Circle													
			From: SR 6 Patterson Ave													
(648) Matthews Rd	2.00	150	R								NA			NA		07/20/2009
			To: 37-610 Community House Rd													
			From: 37-606 Hadensville-Fife Rd													
(649) Blair Rd	1.00	1600	R								NA			NA		07/31/2012
			To: 37-650 River Rd													
			From: SR 6 Patterson Ave													
(650) River Rd	4.37	3800	F	99%	0%	1%	0%	0%	0%	C	0.1	F	0.542	3900	F	2012
			To: Henrico County Line													
			From: 37-667 Old Columbia Rd													
(651) Lowry Rd	2.80	140	R								NA			NA		07/13/2009
			To: 37-610 Community House Rd													
			From: SR 45 Cartersville Rd													
(652) Dadneys Rd	0.15	90	R								NA			NA		04/30/2012
			To: 37-618 Whittcamp Rd													
			From: 37-605 Shannon Hill Rd													
(653) Three Chopt Rd	1.00	130	R								NA			NA		07/13/2009
			To: 37-683 Parrish Rd													
(653) Three Chopt Rd	0.85	90	R								NA			NA		07/13/2009
			To: 37-604 Whittsell Rd													
			From: 37-641 Shallow Well Rd; Genito Rd													
(654) Shallow Well Rd	3.64	630	R								NA			NA		08/27/2006
			To: 37-620 Hanover Rd													
			From: 37-670 Cardwell Rd													
(655) First Union Rd	0.12	50	R								NA			NA		07/29/2009
			To: Dead End													
			From: Dead End													
(656) Leabough Rd	0.60	60	R								NA			NA		05/23/2012
			To: 37-614 Dogtown Rd													
			From: 37-670 Cardwell Rd													
(657) Sargent Rd	0.50	70	R								NA			NA		07/29/2009
			To: Dead End													
			From: Dead End													
(658) Pace Rd	0.50	130	R								NA			NA		05/23/2012
			To: 37-606 Hadensville-Fife Rd													
			From: SR 6 Patterson Ave													
(659) Creekmore Rd	0.25	290	R								NA			NA		09/15/2009
			To: Dead End													
			From: Dead End													
(660) Childress Rd	0.25	40	R								NA			NA		06/18/2012
			To: 37-622 Rockville Rd													
			From: Dead End													
(661) Salmontown Rd	0.55	150	R								NA			NA		07/22/2009
			To: 37-625 St Pauls Church Rd													
			From: SR 6 River Rd West													
(662) Willway Dr	0.05	1000	R								NA			NA		04/30/2012
			To: 37-663 Hickory Dr; 37-664 Dogwood Dr													
(662) Willway Dr	0.30	490	R								NA			NA		04/30/2012
			To: 37-714 Sawdust Dr													
(662) Willway Dr	0.14	330	R								NA			NA		04/30/2012
			To: 37-1040 Edgehill Wood Dr													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(662) Willway Dr	0.09	250	R								NA			NA		04/30/2012
			From: 37-1040 Edgehill Wood Dr													
			To: 37-1046 Red Maple Dr													
(662) Willway Dr	0.40	170	R								NA			NA		08/03/2009
			From: Cul-de-Sac													
			To: 37-662 Willway Dr													
(663) Hickory Dr	0.17	460	R								NA			NA		08/03/2009
			From: 37-709 Holly Dr													
(663) Hickory Dr	0.18	360	R								NA			NA		08/03/2009
			From: 37-714 Sawdust Dr													
(663) Hickory Dr	0.13	320	R								NA			NA		08/03/2009
			From: 37-1045 Red Cedar Dr													
(663) Hickory Dr	0.17	230	R								NA			NA		08/03/2009
			From: 37-1046 Red Maple Dr													
(663) Hickory Dr	0.24	110	R								NA			NA		08/03/2009
			From: 37-1047 Hickory Court													
(663) Hickory Dr	0.10	90	R								NA			NA		08/03/2009
			From: Cul-de-Sac													
(664) Dogwood Dr	0.22	130	R								NA			NA		04/30/2012
			From: Dead End													
			To: 37-662; 37-663													
(665) Landfill Rd	0.15	500	R								NA			NA		07/27/2009
			From: 37-632 Fairground Rd													
			To: Dead End													
(666) Gathright Dr	0.60	160	R								NA			NA		07/27/2009
			From: 37-631 Scott Rd													
			To: US 522 River Road West													
(667) Old Columbia Rd	3.10	250	R								NA			NA		05/23/2012
			From: Fluvanna County Line													
(667) Old Columbia Rd	3.52	420	R								NA			NA		05/23/2012
			From: 37-651 Lowry Rd													
			To: 37-606 Hadensville-Fife Rd													
(668) Snead Rd	0.66	280	R								NA			NA		08/03/2009
			From: 37-623 S, Hockett Rd													
			To: 37-623 N, Hockett Rd													
(669) County Line Rd	3.40	100	R								NA			NA		05/07/2012
			From: 37-609 Hickory Hill Rd													
(669) County Line Rd	0.18	150	R								NA			NA		05/07/2012
			From: 37-699 Three Chopt Rd													
			To: US 250 Broad Street Rd													
(670) Cardwell Rd	5.20	1100	F	98%	0%	1%	1%	1%	0%	C	0.114	F	0.607	1100	F	2012
			From: SR 6 River Rd West													
			To: US 250 Broad Street Rd													
(671) Cemetery Lane	0.12	20	R								NA			NA		05/07/2012
			From: Dead End													
			To: 37-615 Forest Grove Rd													
(672) Turner Rd	2.10	380	R								NA			NA		04/30/2012
			From: 37-633 Poor House Rd													
			To: 37-634 Maidens Rd													
(673) Whitehall Rd	4.91	830	F	98%	1%	1%	0%	0%	0%	F	0.106	F	0.705	850	F	2012
			From: 37-606 Hadensville-Fife Rd													
(673) Whitehall Rd	2.00	1900	F	98%	1%	1%	0%	0%	0%	C	0.107	F	0.645	1900	F	2012
			From: 37-611 Cedar Plains Rd													
			To: US 522 Sandy Hook Rd													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(675) Ranson Rd	0.01	50	R				From: SR 6 W, River Rd West					NA		NA		07/20/2009
(675) Ranson Rd	0.34	46	R				To: 0.01 MN SR 6					NA		NA		07/20/2009
(676) Hermitage Rd	1.81	710	R				From: SR 6 E, River Rd West					NA		NA		02/13/2006
(676) Hermitage Rd	2.85	1400	R				To: 37-621 S Manakin Rd					NA		NA		02/13/2006
(677) Bowles Rd	0.20	8	R				From: 37-621 S, Manakin Rd					NA		NA		07/13/2009
(678) Marlin Rd	1.00	150	R				To: 37-621 N, Manakin Rd					NA		NA		07/22/2009
(679) Funny Tree Trail	0.16	30	R				From: Cul-de-Sac					NA		NA		06/11/2012
(680) Youngstown Rd	0.88	50	R				To: 37-605 Shannon Hill Rd					NA		NA		07/20/2009
(681) Payne Rd	2.00	70	R				From: Dead End					NA		NA		05/23/2012
(683) Parrish Rd	0.29	60	R				To: 37-616 Stokes Station Rd					NA		NA		07/13/2009
(684) Ragland Rd	0.80	120	R				From: 37-605 Shannon Hill Rd					NA		NA		07/22/2009
(685) Johnson Rd	0.50	630	R				To: 37-616 Stokes Station Rd					NA		NA		08/05/2009
(686) New Town Rd	0.85	180	R				From: Dead End					NA		NA		07/31/2012
(687) Danieltown Rd	2.50	180	R				To: 37-600 Rock Castle Rd					NA		NA		07/20/2009
(688) Pink Dogwood Rd	0.50	40	R				From: SR 6 River Rd West					NA		NA		07/13/2009
(689) Robinson Rd	0.30	60	R				To: 37-608 Davis Mill Rd					NA		NA		04/26/2012
(689) Robinson Rd	0.20	110	R				From: 37-603 Tabscott Rd					NA		NA		04/26/2012
(690) Springfield Rd	0.35	180	R				To: Dead End					NA		NA		05/23/2012
(691) Stage Coach Rd	0.25	150	R				From: 37-614 Dogtown Rd					NA		NA		05/23/2012
							To: 37-644 Miller Lane					NA		NA		05/23/2012
							From: Dead End					NA		NA		05/23/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Gochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Gochland County																
(692) Bell Rd	0.50	100	R								NA			NA		04/26/2012
(693) Martin Rd	0.60	40	R								NA			NA		06/11/2012
(694) Proffitt Rd	0.48	140	R								NA			NA		08/26/2009
(695) Waddy Dr	0.40	60	R								NA			NA		05/07/2012
(696) Pacetown Rd	0.59	150	R								NA			NA		05/07/2012
(697) Marle Rd	0.36	10	R								NA			NA		07/13/2009
(698) Mickeytown Rd	0.12	60	R								NA			NA		05/07/2012
(699) Three Chopt Rd	1.30	220	R								NA			NA		07/13/2009
(699) Three Chopt Rd	0.20	110	R								NA			NA		05/07/2012
(699) Three Chopt Rd	1.35	130	R								NA			NA		05/07/2012
(700) Three Chopt Rd	3.20	740	R								NA			NA		05/23/2012
(701) Oakland Church Rd	0.35	550	R								NA			NA		08/12/2009
(702) Pony Farm Rd	0.20	270	R								NA			NA		06/11/2012
(702) Pony Farm Rd	0.70	300	R								NA			NA		08/12/2009
(702) Pony Farm Rd	0.90	350	R								NA			NA		06/11/2012
(702) Pony Farm Rd	3.25	560	R								NA			NA		06/11/2012
(703) Herndon Rd	0.30	50	R								NA			NA		07/20/2009
(704) Alvis Rd	0.40	220	R								NA			NA		04/12/2012
(705) Cooley Rd	0.60	340	R								NA			NA		08/10/2009
(706) Jerusalem Church Rd	0.23	20	R								NA			NA		06/18/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(707) Hackney Rd	0.33	110	R									NA		NA		07/22/2009
(708) St Matthew Lane	0.71	950	R									NA		NA		04/09/2012
(708) St Matthew Lane	0.22	40	R									NA		NA		04/09/2012
(709) Holly Dr	0.18	90	R									NA		NA		08/03/2009
(710) Maidens Loop	0.11	46	R									NA		NA		05/23/2012
(711)	0.03	2	R									NA		NA		07/27/2009
(712) Windsor Way	1.07	100	R									NA		NA		05/10/2012
(712) Devon Way	0.54	350	R									NA		NA		05/10/2012
(713) Grays Lane	0.20	70	R									NA		NA		07/22/2009
(714) Sawdust Dr	0.25	110	R									NA		NA		04/09/2012
(714) Sawdust Dr	0.18	80	R									NA		NA		04/09/2012
(714) Sawdust Dr	0.07	70	R									NA		NA		04/09/2012
(715) Birch Circle	0.08	60	R									NA		NA		08/03/2009
(717) Maidens Loop	0.16	140	R									NA		NA		05/23/2012
(718) Halls Rd	0.80	360	R									NA		NA		05/23/2012
(720) Rollins Dr	0.34	50	R									NA		NA		07/13/2009
(724) Bulldog Way	0.92	700	R									NA		NA		07/31/2012
(725) Nelwood Rd	0.07	50	R									NA		NA		04/12/2012
(725) Nelwood Rd	0.31	80	R									NA		NA		04/12/2012
(726) Nelwood Cove	0.06	30	R									NA		NA		04/12/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(727) Nelwood Place	0.11	49	R			From: 37-725 Nelwood Rd					NA			NA		04/12/2012
						To: Cul-de-Sac										
(730) Courthouse Creek Rd	0.08	110	R			From: Dead End					NA			NA		07/27/2009
						To: 37-634 Maidens Rd										
(735) Goodluck Rd	0.55	100	R			From: Dead End					NA			NA		08/12/2009
						To: 37-702 Pony Farm Rd										
(737) Cabin Rd	2.31	70	R			From: Dead End					NA			NA		08/10/2009
						To: 37-619 Newline Rd										
(737) Shephed Spring Rd	0.75	230	R			From: 37-1140 Fox Chase Run					NA			NA		08/10/2009
						To: 37-676 Hermitage Rd										
(740) Tuckahoe Creek Pkwy	0.65	1100	R			From: 37-1150 Kinloch Rd					NA			NA		08/12/2009
						To: 37-623 Hockett Rd										
(741) Capital One Dr	0.84	3000	R			From: 37-1250 West Creek Pkwy					NA			NA		09/15/2009
						To: Dead End										
(1000) Plaza Dr	0.33	1800	R			From: US 250 Broad Street Rd					NA			NA		08/05/2009
						To: 37-1013 Briggs Dr										
(1000) Plaza Dr	0.09	1900	R			From: 37-708 St Matthew Lane					NA			NA		08/05/2009
						To: 37-623 Ashland Rd										
(1001) Mills Rd	0.13	240	R			From: US 250 Broad St					NA			NA		04/09/2012
						To: 37-1002 Pamela Lane										
(1002) Pamela Lane	0.09	180	R			From: 37-1001 Mills Rd					NA			NA		04/09/2012
						To: 37-1004 Dorothy Dr										
(1002) Pamela Lane	0.17	150	R			From: 37-1003 Burfoot Rd					NA			NA		08/05/2009
						To: Dead End										
(1003) Burfoot Rd	0.09	80	R			From: 37-1005 Fawn Lane					NA			NA		04/09/2012
						To: 37-1002 Pamela Lane										
(1004) Dorothy Dr	0.09	130	R			From: 37-1002 Pamela Lane					NA			NA		08/05/2009
						To: 37-1005 Fawn Lane										
(1005) Fawn Lane	0.15	70	R			From: 37-1004 Dorothy Dr					NA			NA		04/09/2012
						To: 37-1003 Burfoot Rd										
(1005) Fawn Lane	0.07	40	R			From: Dead End					NA			NA		04/09/2012
						To: 37-623 Hockett Rd										
(1006) Holly Lane	0.16	260	R			From: 37-1007 Oak Lane					NA			NA		08/05/2009
						To: 37-1008 Birch Rd										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Gochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Gochland County																
1006 Holly Lane	0.10	100	R				From: 37-1008 Birch Rd				NA		NA		08/05/2009	
1006 Holly Lane	0.04	30	R				From: 37-1009 Cedar Circle				NA		NA		08/05/2009	
							To: Dead End									
1007 Oak Lane	0.06	60	R				From: 37-1006 Holly Lane				NA		NA		04/09/2012	
							To: Dead End									
1008 Birch Rd	0.05	100	R				From: 37-1006 Holly Lane				NA		NA		08/05/2009	
1008 Birch Rd	0.04	30	R				From: 37-1009 Cedar Circle				NA		NA		08/05/2009	
							To: Dead End									
1009 Cedar Circle	0.12	70	R				From: 37-1008 Birch Rd				NA		NA		04/09/2012	
							To: 37-1006 Holly Lane									
1010 Whippoorwill Rd	0.37	190	R				From: Dead End				NA		NA		08/05/2009	
							To: US 250 Broad St									
1011 Valentine Rd	0.05	20	R				From: 37-708 St Matthew Lane				NA		NA		04/09/2012	
							To: Dead End									
1012 Little Falls Lane	0.29	100	R				From: 37-708 St Matthew Lane				NA		NA		08/05/2009	
							To: Cul-de-Sac									
1013 Briggs Dr	0.19	530	R				From: US 250 Broad Street Rd				NA		NA		07/31/2012	
							To: 37-1000 Plaza Dr									
1014 Goins Rd	0.23	20	R				From: 37-623 Hockett Rd				NA		NA		04/09/2012	
							To: 37-623 Hockett Rd									
1015 Commerce Center Dr	0.23	860	R				From: Cul-de-Sac				NA		NA		08/26/2009	
							To: 37-623 Ashland Rd									
1016 Granite Ridge Rd	0.23	580	R				From: Cul-de-Sac				NA		NA		08/26/2009	
							To: 37-1015									
1017 Greystone Court	0.06	70	R				From: 37-1016				NA		NA		08/26/2009	
							To: Cul-de-Sac									
1018 Shadow Creek Lane	0.50	170	R				From: 37-621 Manakin Rd				NA		NA		06/18/2012	
							To: Cul-de-Sac									
1019 Forest Meadow Lane	0.23	70	R				From: Cul-de-Sac				NA		NA		06/18/2012	
							To: 37-621 Manakin Rd									
1020 Broad Run Dr	0.10	220	R				From: 37-621 Manakin Rd				NA		NA		08/12/2009	
1020 Broad Run Dr	0.48	130	R				From: 37-1021 Deer Run Rd				NA		NA		08/12/2009	
							To: Cul-de-Sac									
1021 Deer Run Rd	0.30	90	R				From: 37-1020 Broad Run Dr				NA		NA		08/12/2009	
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1022) Red Fox Rd	0.16	70	R								NA			NA		05/10/2012
(1023) Mellick Ridge Rd	0.33	100	R								NA			NA		05/10/2012
(1023) Mellick Ridge Rd	0.08	160	R								NA			NA		05/10/2012
(1024) Mellick Ridge Court	0.14	70	R								NA			NA		05/10/2012
(1025) Goosepoint Court	0.06	50	R								NA			NA		05/10/2012
(1026) Hunting Ridge Rd	0.34	120	R								NA			NA		05/10/2012
(1026) Hunting Ridge Rd	0.40	220	R								NA			NA		05/10/2012
(1026) Hunting Ridge Rd	0.04	330	R								NA			NA		05/10/2012
(1026) Hunting Ridge Rd	0.07	430	R								NA			NA		05/10/2012
(1027) Game Bird Court	0.16	40	R								NA			NA		08/12/2009
(1028) Quail Run Dr	0.36	90	R								NA			NA		05/10/2012
(1029) Hawk Wing Dr	0.34	50	R								NA			NA		08/12/2009
(1030) Holly Lake Dr	0.14	70	R								NA			NA		05/10/2012
(1030) Holly Lake Dr	0.19	140	R								NA			NA		02/16/2006
(1031) Rolling Lake Court	0.13	70	R								NA			NA		08/12/2009
(1032) First Flite Lane	0.30	40	R								NA			NA		08/03/2009
(1035) Perrow Lane	0.50	140	R								NA			NA		05/10/2012
(1037) Cedar Run Court	0.05	30	R								NA			NA		04/11/2012
(1038) Elm Creek Dr	0.38	220	R								NA			NA		04/11/2012
(1039) Crossridge Lane	0.33	80	R								NA			NA		04/11/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
1039	Crossridge Lane	0.46	70	R								NA		NA		04/11/2012
1040	Edgehill Wood Dr	0.42	160	R								NA		NA		04/11/2012
1040	Edgehill Wood Dr	0.14	200	R								NA		NA		04/11/2012
1041	Edgehill Wood Court	0.13	70	R								NA		NA		08/03/2009
1042	Cedar Run Rd	0.89	450	R								NA		NA		07/31/2012
1043	Cypress Court	0.08	40	R								NA		NA		04/11/2012
1044	Summit Court	0.10	50	R								NA		NA		04/11/2012
1045	Red Cedar Dr	0.14	47	R								NA		NA		04/11/2012
1046	Red Maple Dr	0.11	120	R								NA		NA		08/03/2009
1046	Red Maple Dr	0.16	40	R								NA		NA		08/03/2009
1047	Hickory Court	0.04	30	R								NA		NA		04/11/2012
1050	Adventure Lane	0.23	220	R								NA		NA		04/11/2012
1051	Rohrer Rd	0.07	30	R								NA		NA		04/11/2012
1052	White Horse Rd	0.15	50	R								NA		NA		04/11/2012
1052	White Horse Rd	0.09	80	R								NA		NA		04/11/2012
1055	Alldever Dr	0.15	140	R								NA		NA		04/11/2012
1055	Alldever Dr	0.35	80	R								NA		NA		04/11/2012
1056	Craig Run Court	0.11	40	R								NA		NA		04/11/2012
1058	Log Cabin Rd	0.86	180	R								NA		NA		07/27/2009
1059	Old Store Rd	0.12	30	R								NA		NA		07/27/2009

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1060) Brittlend Dr	0.52	100	R			From: 37-626 Seay Rd					NA			NA		04/12/2012
						To: Cul-de-Sac										
(1063) Bexley Wood Run	0.34	130	R			From: Cul-de-Sac					NA			NA		06/11/2012
						To: 37-613										
(1064) Sycamore Creek Dr	0.27	110	R			From: US 250 Broad Street Rd					NA			NA		04/09/2012
						To: Cul-de-Sac										
(1065) Rabbit Warren Rd	0.21	80	R			From: US 250 Broad Street Rd					NA			NA		04/09/2012
						To: Cul-de-Sac										
(1066)	0.18	540	R			From: 37-1067					NA			NA		04/09/2012
						To: 37-623 Hockett Rd										
(1067)	0.76	510	R			From: 37-1066					NA			NA		04/09/2012
						To: 37-1066 End of Loop										
(1068)	0.04	110	R			From: Cul-de-Sac					NA			NA		04/09/2012
						To: 37-1067										
(1071) Sandwedge Court	0.05	20	R			From: Cul-de-Sac					NA			NA		08/10/2009
						To: 37-1099; 37-1098										
(1072) Par Three Plaza	0.10	20	R			From: Cul-de-Sac					NA			NA		08/10/2009
						To: 37-1098										
(1073) Putting Green Way	0.06	20	R			From: 37-1098					NA			NA		08/10/2009
						To: Cul-de-Sac										
(1074) Double Eagle Court	0.05	20	R			From: Cul-de-Sac					NA			NA		08/10/2009
						To: 37-1098										
(1077) Parkers Hill Dr	0.88	170	R			From: 37-634 Maidens Rd					NA			NA		07/27/2009
						To: Cul-de-Sac										
(1078) Blackwood Dr	0.22	49	R			From: 37-639 Sheppard Town Rd					NA			NA		07/27/2009
						To: Cul-de-Sac										
(1079) Long Branch Dr	0.13	40	R			From: 37-639 Sheppard Town Rd					NA			NA		07/27/2009
						To: Cul-de-Sac										
(1080) Greenbriar Branch Dr	0.35	130	R			From: 37-632 Fairground Rd					NA			NA		07/27/2009
						To: 37-1081 Wicker Woods Dr										
(1080) Greenbriar Branch Dr	0.11	47	R			From: Cul-de-Sac					NA			NA		07/27/2009
						To: Cul-de-Sac										
(1081) Wicker Woods Dr	0.23	70	R			From: 37-1080 Greenbriar Branch Dr					NA			NA		04/30/2012
						To: Cul-de-Sac										
(1086) Eastleigh Dr	0.09	30	R			From: Cul-de-Sac					NA			NA		04/26/2012
						To: 37-1092 Tranbycroft Way										
(1087) Checketts Dr	0.22	90	R			From: Cul-de-Sac					NA			NA		04/26/2012
						To: 37-1092 Tranbycroft Way										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
1087	Checketts Dr	0.24	80	R								NA		NA		04/26/2012
1088	Caleherne Ct	0.06	49	R								NA		NA		04/26/2012
1089	Blackfriar Lane	0.03	20	R								NA		NA		04/26/2012
1090	Broadland Way	0.50	360	R								NA		NA		04/26/2012
1090	Broadland Way	0.15	290	R								NA		NA		04/26/2012
1091	Hill House Lane	0.09	48	R								NA		NA		04/26/2012
1092	Tranbycroft Way	0.93	210	R								NA		NA		04/26/2012
1092	Tranbycroft Way	0.23	230	R								NA		NA		04/26/2012
1092	Tranbycroft Way	0.06	30	R								NA		NA		04/26/2012
1093	Kingsmere Dr	0.09	40	R								NA		NA		04/26/2012
1093	Kingsmere Dr	0.11	180	R								NA		NA		04/26/2012
1094	Parkhouse Court	0.17	60	R								NA		NA		04/26/2012
1094	Parkhouse Court	0.15	70	R								NA		NA		04/26/2012
1095	Royal Virginia Court	0.20	20	R								NA		NA		08/10/2009
1096	Royal Virginia Lane	0.11	2	R								NA		NA		08/10/2009
1097	Royal Virginia Pkwy	1.23	330	R								NA		NA		07/31/2012
1098	Dougle Eagle Dr	0.63	80	R								NA		NA		08/10/2009
1099	Sand Trap Circle	0.11	6	R								NA		NA		08/10/2009
1101	Berkley Dr	0.10	470	R								NA		NA		09/21/2009
1102	Brook Run Dr	0.10	30	R								NA		NA		03/29/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Gochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Gochland County																
(1102) Brook Run Dr	0.40	200	R			From: 37-1104 W, Ashley Dr						NA		NA		03/29/2012
(1102) Brook Run Dr	0.03	540	R			To: 37-1101 Berkley Dr						NA		NA		03/29/2012
(1102) Brook Run Dr	0.49	220	R			From: 37-1103 Sweetbriar Dr						NA		NA		03/29/2012
						To: 37-1104 E, Ashley Dr										
(1103) Sweetbriar Dr	0.12	50	R			From: Dead End						NA		NA		09/21/2009
(1103) Sweetbriar Dr	0.40	200	R			To: 37-1104 Ashley Dr						NA		NA		09/21/2009
						To: 37-1102 Brook Run Dr										
(1104) Ashley Dr	0.10	20	R			From: 37-1102 W, Brook Run Dr						NA		NA		03/29/2012
(1104) Ashley Dr	0.08	30	R			To: 37-1103 Sweetbriar Dr						NA		NA		03/29/2012
						To: 37-1102 E, Brook Run Dr										
(1105) Willow Oaks Rd	0.20	80	R			From: Dead End						NA		NA		09/15/2009
						To: 37-650 River Rd										
(1106) Lower Tuckahoe Rd	0.06	700	R			From: 37-1107 Lower Tuckahoe Rd						NA		NA		03/29/2012
						To: 37-650 River Rd										
(1107) Lower Tuckahoe Rd	0.37	140	R			From: Dead End						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.29	280	R			To: 37-1108 Roads End Lane						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.06	270	R			From: 37-1106 Lower Tuckahoe Rd						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.11	300	R			To: 37-1111 W, Dahlgren Rd						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.07	320	R			From: 37-1113 Buck Branch Dr						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.12	470	R			To: 37-1111 E, Dahlgren Rd						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.05	150	R			From: 37-1120 Hill Point Rd						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.11	70	R			To: 37-1121 Lower Tuckahoe Court						NA		NA		09/21/2009
						To: Cul-de-Sac										
(1108) Roads End Lane	0.13	60	R			From: 37-1107 Lower Tuckahoe Rd						NA		NA		03/29/2012
						To: Dead End										
(1109) Briarwood Circle	0.24	70	R			From: 37-647 Pagebrook Dr						NA		NA		09/15/2009
						To: 37-647 Pagebrook Dr										
(1110) Knollwood Dr	0.12	50	R			From: 37-647 Pagebrook Dr						NA		NA		04/09/2012
						To: Cul-de-Sac										
(1111) Dahlgren Rd	0.54	200	R			From: 37-1107 W, Lower Tuckahoe Rd						NA		NA		09/21/2009
(1111) Dahlgren Rd	0.15	150	R			To: 37-1113 Buck Branch Dr						NA		NA		09/21/2009
						To: 37-1114 Dover Place										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1111) Dahlgren Rd	0.11	180	R								NA			NA		09/21/2009
(1112) Flag Stage Rd	0.25	80	R								NA			NA		06/11/2012
(1113) Buck Branch Dr	0.29	200	R								NA			NA		09/21/2009
(1114) Dover Place	0.05	30	R								NA			NA		03/29/2012
(1115) Partridge Rd	0.50	220	R								NA			NA		09/21/2009
(1116) Mystic Court	0.15	60	R								NA			NA		03/29/2012
(1117) Archway Lane	0.11	260	R								NA			NA		07/20/2009
(1118) Timber Trail Dr	0.32	46	R								NA			NA		07/20/2009
(1119) Fallen Creek Dr	0.08	40	R								NA			NA		07/20/2009
(1120) Hill Point Rd	0.17	46	R								NA			NA		03/29/2012
(1120) Hill Point Rd	0.25	360	R								NA			NA		03/29/2012
(1120) Hill Point Rd	0.05	850	R								NA			NA		07/31/2012
(1121) Lower Tuckahoe Court	0.06	40	R								NA			NA		09/21/2009
(1122) Hill Point Court	0.05	40	R								NA			NA		03/29/2012
(1123) Dunaway Dr	0.11	80	R								NA			NA		03/29/2012
(1126) Victoria Lane	0.17	240	R								NA			NA		05/10/2012
(1127) Regina Lane	0.16	150	R								NA			NA		05/10/2012
(1127) Regina Lane	0.03	50	R								NA			NA		09/15/2009
(1128) Drew Ridge Dr	0.41	190	R								NA			NA		05/07/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1129) Royal Ridge Court	0.33	80	R								NA			NA		05/07/2012
(1130) Rockford Rd	0.29	120	R								NA			NA		04/12/2012
(1130) Rockford Rd	0.20	240	R								NA			NA		04/12/2012
(1130) Rockford Rd	0.49	520	R								NA			NA		04/12/2012
(1131) Wheatlands Dr	1.12	220	R								NA			NA		08/26/2009
(1132) Harolds Dr	0.35	120	R								NA			NA		04/12/2012
(1133) Windy Run	0.25	60	R								NA			NA		08/26/2009
(1134) Massies Lane	0.17	150	R								NA			NA		08/26/2009
(1135) Ford Rd	0.76	260	R								NA			NA		04/12/2012
(1136) Fed Lane	0.33	90	R								NA			NA		04/12/2012
(1137) Willowtrace Lane	0.96	230	R								NA			NA		04/26/2012
(1140) Fox Chase Run	0.40	220	R								NA			NA		05/23/2012
(1141) West Grey Fox Circle	0.95	180	R								NA			NA		08/24/2009
(1142) Fox Lair Rd	0.11	50	R								NA			NA		05/23/2012
(1142) Fox Lair Rd	0.39	49	R								NA			NA		08/24/2009
(1143) Elm Creek Dr	0.37	250	R								NA			NA		05/10/2012
(1144) Elm Creek Circle	0.08	50	R								NA			NA		05/10/2012
(1145) Mill Trace Lane	0.55	400	R								NA			NA		07/31/2012
(1146) Stone Creek Dr	0.77	290	R								NA			NA		07/31/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1147) Rockcress Lane	0.33	240	R								NA			NA		04/26/2012
(1147) Rockcress Lane	0.81	220	R								NA			NA		07/20/2009
(1148) Stonecastle Lane	0.21	50	R								NA			NA		07/20/2009
(1149) Heathmill Rd	0.15	48	R								NA			NA		04/26/2012
(1150) Kinloch Rd	0.16	120	R								NA			NA		07/31/2012
(1150) Kinloch Rd	0.31	750	R								NA			NA		07/31/2012
(1151) Kinloch Rd	0.22	600	R								NA			NA		07/31/2012
(1152) Long Pond Rd	0.48	610	R								NA			NA		09/15/2009
(1153) Hill Grove Rd	0.33	190	R								NA			NA		09/15/2009
(1154) Hunt Field Rd	0.14	80	R								NA			NA		09/15/2009
(1154) Hunt Field Rd	0.04	20	R								NA			NA		09/15/2009
(1155) Wellfield Rd	0.33	160	R								NA			NA		09/15/2009
(1156) Glenmeade Circle	0.04	20	R								NA			NA		09/15/2009
(1157) Broadfield Circle	0.15	50	R								NA			NA		09/15/2009
(1158) Fairstead Rd	0.19	60	R								NA			NA		09/30/2009
(1159) Longfield Dr	0.20	30	R								NA			NA		09/30/2009
(1160) Fairhurst Court	0.03	8	R								NA			NA		09/30/2009
(1161) Millstead Lane	0.11	45	R								NA			NA		09/30/2009
(1162)	0.27	80	R								NA			NA		06/18/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1170) Thoroughbred Pkwy	0.61	350	R								NA			NA		08/19/2009
(1171) Bayberry Lane	0.19	90	R								NA			NA		08/19/2009
(1172) Hounds Run	0.14	190	R								NA			NA		08/19/2009
(1173) Horseshoe Bend	0.33	90	R								NA			NA		08/19/2009
(1174) Bridle Ridge	0.05	60	R								NA			NA		08/19/2009
(1174) Bridle Ridge	0.16	30	R								NA			NA		08/19/2009
(1175) Incline Court	0.12	40	R								NA			NA		08/19/2009
(1176) Steeplechase Pkwy	0.75	230	R								NA			NA		08/19/2009
(1177) Saddlebrook Dr	0.19	90	R								NA			NA		08/19/2009
(1178) Crest Hollow Court	0.32	80	R								NA			NA		08/19/2009
(1190) Manakin Park Dr	0.50	290	R								NA			NA		08/24/2009
(1191) Anitas Landing Way	0.04	30	R								NA			NA		08/24/2009
(1192) Maymont Way	0.07	70	R								NA			NA		08/24/2009
(1193) Libby Hill Court	0.07	90	R								NA			NA		08/24/2009
(1194) Powhatan Hill Place	0.09	110	R								NA			NA		08/24/2009
(1195) Manakin Parke Circle	0.09	220	R								NA			NA		08/24/2009
(1196) Jefferson Hill Way	0.08	70	R								NA			NA		08/24/2009
(1197) Canoe Run Place	0.08	70	R								NA			NA		08/24/2009
(1198) Taylors Hill Ct	0.07	80	R								NA			NA		08/24/2009


Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1200) Turkey Creek Rd	0.28	490	R								NA		NA			06/11/2012
(1201) Courthouse Dr	0.10	520	R								NA		NA			04/30/2012
(1202) Courthouse Circle	0.28	330	R								NA		NA			07/27/2009
(1205) Pitts Ave	0.22	70	R								NA		NA			04/30/2012
(1206)	0.07	240	R								NA		NA			06/11/2012
(1207)	0.14	NA									NA		NA			
(1207)	0.34	290	R								NA		NA			06/11/2012
(1208)	0.06	40	R								NA		NA			06/11/2012
(1209)	0.23	130	R								NA		NA			06/11/2012
(1210) Horsepen Rd	0.49	110	R								NA		NA			07/29/2009
(1213) Road A	0.08	680	R								NA		NA			04/12/2012
(1213) Road A	0.09	420	R								NA		NA			04/12/2012
(1214) Road B	0.18	280	R								NA		NA			07/29/2009
(1215) Valpark Dr	0.59	550	R								NA		NA			07/29/2009
(1216) Tri County Dr	0.56	150	R								NA		NA			07/29/2009
(1220) Fox Downs Lane	0.41	60	R								NA		NA			04/12/2012
(1220) Fox Downs Lane	0.59	180	R								NA		NA			04/12/2012
(1220) Fox Downs Lane	0.34	220	R								NA		NA			04/12/2012
(1221) Lake Pointe Circle	0.08	20	R								NA		NA			07/29/2009
(1222) Huntsman Circle	0.14	30	R								NA		NA			06/11/2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1223) Ridgewell Dr	0.40	200	R			From: Cul-de-Sac					NA			NA		06/11/2012
						To: 37-632 Fairground Rd										
(1224) Madison Court	0.09	30	R			From: 37-1223 Ridgewell Dr					NA			NA		06/11/2012
						To: Cul-de-Sac										
(1225) Elizabeth Lane	0.16	130	R			From: 37-1226 Copperstone Ct					NA			NA		06/11/2012
						To: 37-1223 Ridgewell Dr										
(1226) Copperstone Ct	0.15	90	R			From: Cul-de-Sac					NA			NA		05/23/2012
						To: Cul-de-Sac										
(1230) Shade Hunter Lane	0.30	70	R			From: 37-632 Fairground Rd					NA			NA		07/27/2009
						To: Cul-de-Sac										
(1231) Autumn Breez Dr	0.98	190	R			From: 37-670 Cardwell Rd					NA			NA		07/29/2009
						To: End of Loop										
(1232) Autumn Breez Place	0.11	30	R			From: Cul-de-Sac					NA			NA		07/29/2009
						To: 37-1231 Autumn Breez Dr										
(1233) Autumn Breeze Dr	0.03	10	R			From: 37-1231					NA			NA		07/29/2009
						To: Cul-de-Sac										
(1234) Autumn Breez Dr	0.03	20	R			From: Cul-de-Sac					NA			NA		07/29/2009
						To: 37-1231 Autumn Breez Dr										
(1240) Hill Stream Dr	0.25	100	R			From: Cul-de-Sac					NA			NA		06/11/2012
						To: 37-620 Hanover Rd										
(1242) Temple Lane	0.22	50	R			From: Cul-de-Sac					NA			NA		09/30/2009
						To: 37-620 Hanover Rd										
(1250) West Creek Pkwy	2.97	3600	R			From: SR 6 W, Patterson Ave					NA			NA		05/23/2012
						To: SR 6 E, Patterson Ave										
(9168) Byrd Primary School	0.07	430	R			From: Byrd Primary School					NA			NA		03/29/2012
						To: 37-606 Hadensville-Fife Rd										
(9170) Goochland Elem Sch	0.14	670	R			From: Goochland Elem Sch					NA			NA		05/23/2012
						To: SR 6 River Rd West										
(9171) Goochland High Sch	0.08	1300	R			From: Goochland High Sch					NA			NA		04/30/2012
						To: US 522 Sandy Hook Rd										
(9172) Cardwell School	0.09	230	R			From: Chadwell School					NA			NA		03/20/2003
						To: 37-670 Cardwell Rd										
(9173) Randolph Elem Sch	0.10	580	R			From: Randolph Sch					NA			NA		04/30/2012
						To: 37-639 Sheppard Town Rd										
(9174) Central High Sch	0.17	470	R			From: 37-614 Dogtown Rd					NA			NA		10/02/2006
						To: Goochland Jr High										
(9661) Goochland Central Elem	0.08	320	R			From: 37-614 Dogtown Rd					NA			NA		06/02/2003
						To: Kanawha Elem Sch										

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
 Echo Meadows Rd	0.63	480	R	From: Hanover County Line				NA					NA			09/02/2008
				To: Hanover County Line												